

June 2007
U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the U.S. Army Medical Materiel Agency, Materiel Acquisition Directorate, Acute Care Division, Fort Detrick, MD

This manual is still in draft form and may contain inaccuracies. To report inaccuracies or additions, please contact 301-619-4301/4316, DSN 343-4301/4316, or at USAMMACRM@amedd.army.mil Responses may also be mailed to:

Commander U.S. Army Medical Materiel Agency MCMR-MM0-AC 1423 Sultan Drive, Suite 100 Fort Detrick, MD 21702-5001 NOTE: CLICK ON TITLE FOR DIRECT LINK

TABLE OF CONTENTS

SECTION	<u>DEVICE</u>	<u>NSN</u>	PAGE
<u>NO.</u>			NO.
1	Blanket Hypothermia Chillbuster	(J) 6515-01-500-6087	1
2	Cleaner Vacuum Electric Vertical Tank	(J) 7910-01-327-0757	5
3	Defibrillator, Monitor Recorder	(J) 6515-01-515-4197	9
4	ElectrocardiographCP-20	(L) 6515-01-505-3025	17
5	<u>FixationExternalOrthopedicHoffmannII</u>	(L) 6515-01-463-1464	21
6	<u>FluidWarmingSystemBelmont</u>	(J) 6515-01-465-2059	23
7	LaryngoscopeSetFiberOpticBatteryOperated	(L) 6515-01-526-4240	29
8	Light Head General Purpose Headband	(L) 6230-01-520-3474	33
9	Light Surgical Stand Color Correct Shadow	(L) 6530-01-518-9854	37
10	MonitorPatientVitalw/SPO ²	(J) 6515-01-432-2707	39
11	Monitor Patient Vital w/SPO ² & Capnography	(J) 6515-01-432-2711	47
12	Nebulizer Ultrasonic Portable	(J) 6515-01-532-6706	59
13	Otoscope & Ophthalmoscope Set	(L) 6515-01-333-3165	63
14	Oximeter Pulse 120/230V, SmithMed BCI 3303	(J) 6515-01-446-6766	67
15	Pacemaker Cardiac External	(J) 6515-01-463-0725	69
16	Patient Warming System Bair Hugger	(J) 6530-01-463-6823	73
17	Pulse Oximeter, Finger, Nonin Med M9500	(L) 6515-01-466-0971	77
18	Pump Intravenous Infusion Alaris 3-Channel	(J) 6515-01-486-4310	79
19	Pump Intravenous Infusion Rapid IV Mod 100	(J) 6515-01-498-2252	83
20	Refrigerator-Freezer Mechanical Field Ward	(J) 4110-01-425-8009	85
21	Sink Unit Surgical Scrub and Utensil Hospital	(J) 6530-01-429-6715	87
22	Suction Apparatus Surgical	(J) 6515-01-435-0050	89
23	Thermometer Kit Clinical Human Digital	(L) 6515-01-523-9935	93
24	Ultrasonic Unit Blood Flow Detection Doppler	(J) 6515-01-293-5578	97
25	Ultrasound System Portable used at CSH	(J) 6525-01-503-7170	99
26	Ventilator Volume Portable 754M	(J) 6530-01-464-0267	113

BLANKET HYPOTHERMIA, CHILLBUSTER TOC

DISTRIBUTOR: MARKETING ASSESSMENT INC. MANUFACTURER: THERMAL GEAR MODEL # SERIES 8000

Distributor's PHONE: (703) 392-9344 FAX (703) 392-3803

Website: http://www.chillbuster.com

ACC "L" ITEM NSN 6515-01-500-6087

UA's: 2267, 5267, N308, N309, F308, F309, 5256, 5257, 5264

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$1,650.00

The ChillBuster Blanket system is specifically designed to treat hypothermia encountered in the field, and in the pre-hospital, hospital or surgical environments.

Features:1. User set temperature range of 65° to 105°F for controlled warming.

- 2. 1.75-3.5 hours of operation, allowing for extended patient transport.
- 3. Blanket wire heats to 105°F within 60 seconds for rapid thermal response.
- 4. AC/DC converter permits the alternative of line power operation to enhance operating flexibility.
- 5. Optional cigarette lighter adapter allows unlimited blanket operation during transport.
- 6. Optional Blanket covers: sterile, single-use and non-sterile general use

BLANKET PATIENT HYPOTHERMIA, CHILLBUSTER





CHILLBUSTER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	10.5"	
	Width	1"	
	Depth	18"	
Weight		10 lbs	
Operating Temperature	+14 to 113°F		
Storage Temperature	-40 to+122°F		
Humidity	15 to 90 % non- condensing		
Power Requirements	100/250VAC @47-63 HZ,Single Phase 60 watts max	External Power 12 VDC @ 5 amps, neg grnd	Internal Power source rechargeable battery 12VDC 1.75 to 3.5 hours

CONSUMABLES ACCESSORIES (START-UP)

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Refri g	CONU S Ship Time, weeks
6515 015224385	Included W/NSN	Blanket – 30 in. x 60 in.	200-9103-01-00E	1	EA	\$300.00	\$300.00	ThermoGear, Inc.	N	2
6515 015221240	Included W/NSN	AC/DC Switching Power Supply	200-9110-02-00E	1	EA	\$225.00	\$225.00	ThermoGear, Inc.	N	2
6515 015221377	Included W/NSN	Carrying Bag	200-9111-01-00E	1	EA	\$135.00	\$135.00	ThermoGear, Inc.	N	2
6515 015221231	Included W/NSN	Cigarette Adapter	200-9116-00-00E	1	EA	\$60.00	\$60.00	ThermoGear, Inc.	N	2
See Resupply	Included W/NSN	Blanket Covers,		10	EA			ThermoGear, Inc.	N	2
Included w/NSN	Included W/NSN	2 Operators Manuals/CDs		2	EA	N\C	N\C	ThermoGear, Inc.	N	2
Included w/NSN	Included W/NSN	1 Maintainer Manual/CD		1	EΑ	N\C	N\C	ThermoGear, Inc.	N	2

CONSUMABLES ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Refri g	CONU S Ship Time, weeks
	Blanket Covers, 25/case 30 in. x 60 in. (must specify size when ordering	200-9112-13-00E	1	EA	\$125.00	\$125.00	ThermoGear, Inc.	N	2

CLEANER VACUUM ELECTRIC VERTICAL TANK TOC

MINUTEMAN INTERNATIONAL INC. MODEL # L0-065

Manufacturer's Phone: (630) 627-6900 Fax (630) 627-1130

Website: http://www.minutemanintl.com

AAC "W" ITEM NSN 7910-01-177-0622 AAC "J" ITEM NSN 7910-01-327-0757

UA's: N301, N308, N309


USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$ 1,640.47

Features: For use in the Operating Room; portable; infectious waste; lightweight with all the necessary components. Storage and Transit Conditions range in temperature from -80 degrees F to 155 degrees F. and air pressure up to 2.47 PSI; electric comp treatment for fungus resistance; for use in removing water or fluid material from floors; will also pick up small solids or mud; brand specific end item.



CHARACTERISTICS

Dimensions	Height	38"
	Width	24"
	Length	26"
Weight		86 lbs
Cubic Ft		13.72
Operating Temperature		-80 deg F to 155F
Operating Humidity		2.47 psi
Storage Temperature		-80 deg F to 155F
Storage Humidity		2.47 psi
Power Requirements		120/130V 50 HZ 900W AC



CLEANER VACUUM ELECRIC TANK ACCESSORIES AND CONSUMABLES

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
4470014961503	Filter, Hepa Hygenic	110010	1	EA	\$435.24	\$435.24	MINUTEMAN INTL INC	N	N	2
7910015280008	Adapter, Vacuum	750081-1	1	EA	\$62.87	\$62.87	MINUTEMAN INTL INC	N	N	2
7910015280264	Brush, (Bare Floor Tool)	800603	1	EA	\$29.62	\$29.62	MINUTEMAN INTL INC	N	N	2
7910015280253	Handle, Floor (Wand Assembly)	290000	1	EA	\$24.78	\$24.78	MINUTEMAN INTL INC	N	N	2
7910015280256	Hose, Vacuum Cleaner (1 ½" X 10")	800317	1	EA	\$47.15	\$47.15	MINUTEMAN INTL INC	N	N	2
7920015310978	Squeegee (14")	800605	1	EA	\$25.99	\$25.99	MINUTEMAN INTL INC	N	N	2
7910015280260	Vacuum, (16" Carpet & Rug Tool)	807237	1	EA	\$18.74	\$18.74	MINUTEMAN INTL INC	N	N	2

DEFIBRILLATOR, MONITOR RECORDER TOC

ZOLL MEDICAL CORPORATION MODEL M SERIES CCT

Manufacturer's PHONE: (978) 421 9460, FAX (978) 421-0010

Website: http://www.zoll.com

AAC "W" ITEM NSN 6515-01-389-6740 AAC "J" ITEM NSN 6515-01-515-4197

UA's: 2261, 2267, 2257, 3257, 3267, 5257, 5267, 9300, 9304, 9301, 9302, 9303, N301, 9306, N313, N513, N713, N308, N309, F301, F308, F309, F383

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$18,940.00

Operator Familiarization: CD-ROM is available.

System Description: The M Series CCT features a three-channel display for ECG and up to two invasive pressures with ranges covering arterial, pulmonary arterial, central venous or intracranial pressure as well as two temperature channels. Of course, it also provides you all the non-invasive parameter options of the M Series including SpO₂, EtCO₂, NIBP, and fully interpretive 12-lead ECG.

- ZOLL XL Battery for longer transport times
- Transport-ready design
- Easy-to-read display
- M Series technology and simplicity
- Full range of parameters for a full range of patients
- Flexible color display
- Quick, easy connections
- Ready to gather and share critical data



DEFIBRILLATOR, MONITOR RECORDER MODEL M SERIES CCT

CHARACTERISTICS

Dimensions	Height	6.8"
	Width	10.3"
	Depth	8.2"
Weight.		13.5 lbs
Storage Temperature		-4° to 140° F, -20° to 60° C
Operating Temperature		32° to 122°F ,0° to 50° C
Humidity (no condensing)		5-95%
Power Requirements		110/220 VAC 50/60 HZ, 220/240 50 HZ,220 VA
		Sealed lead acid battery pack; 5 cells 2V/CELL,
		(WIRED IN SERIES), DC INPUT 10-29 V. 130 W

M-SERIES/CCT DEFIBRILLATOR ACCESSORIES & CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
See Resupply	Included W/NSN	XL Smart Ready Lead Acid Batteries	3	EA	8000-0686-01	\$422.00	\$422.00	Zoll	indef	N	2
6515015185958	Included W/NSN	Xtreme Pak II Carry Case	1	EA	8000-0501-01	\$464.00	\$464.00	ZOLL	indef	N	2
6515015185984	Included W/NSN	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185960	Included W/NSN	Military AC power cord w/ Ferrite	1	EA	8000-0304	\$35.00	\$35.00	Zoll	indef	N	2
6515015185967	Included W/NSN	Military EtCO ₂ cable with mainstream capnostat sensor	1	EA	8000-0410	\$1950.00	\$1950.00	Zoll	indef	N	2
6515015185970	Included W/NSN	NIBP adult cuff and hose	1	EA	8000-1654	\$31.00	\$31.00	Zoll	indef	N	2
6515015185972	Included W/NSN	Military SpO2 cable	1	EA	8000-0246-30	\$162.00	\$162.00	Zoll	indef	N	2
6515015185973	Included W/NSN	Military SpO2 adult sensor	1	EA	8000-0245	\$270.00	\$270.00	Zoll	indef	N	2
6515015185980	Included W/NSN	Military Temperature Cable and Probe	1	EA	8000-0409	\$450.00	\$450.00	Zoll	indef	N	2
6515015185982	Included W/NSN	Military universal cable	1	EA	8000-0308-30	\$135.00	\$135.00	Zoll	indef	N	2
6515015185962	Included W/NSN	Military 1 Step 12 – Lead ECG Cable	1	EA	8000-0527-30	\$319.00	\$319.00	Zoll	indef	N	2
6515015046492	Included W/NSN	M Series external paddle assembly	1	EA	8000-1010-01	\$390.00	\$390.00	Zoll	indef	N	2
6515015185995	Included W/NSN	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186027	Included W/NSN	Dep Pak – Single Patient 4 YEAR SHELF LIFE	1	EA	8000-4018-30	\$80.00	\$80.00	ZOLL	48	N	2
6515015186011	Included W/NSN	Hardigg Case w/ label	1	EA	8000-0850-30	\$980.00	\$980.00	Zoll	indef	N	2
6515015186016	Included W/NSN	1X1 Battery Charger	1	EA	8050-0022-30	\$506.00	\$506.00	Zoll	inde	N	2
6515015186021	Included W/NSN	Single Patient Use Airway Adapters (10)	1	(10s) EA	8000-0260-01	\$63.90	\$63.90	ZOLL	indef	N	2
6515015186030	Included W/NSN	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$390.00	\$390.00	Zoll	inde	N	2
6515015185988	Included W/NSN	Operator's Manual	1	EA	9650-0200-01	\$20.00	\$20.00	Zoll	inde	N	2
6515015186025	Included W/NSN	Service Manual	1	EA	9650-0450-30	\$39.00	\$39.00	Zoll	inde	N	2
6515015186012	Included W/NSN	In-Service Video	1	EA	9650-0073	\$17.75	\$17.75	Zoll	inde	N	2

M-SERIES/CCT DEFIBRILLATOR CONSUMABLES (RESUPPLY)

NSN	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, months	Refri g	CONUS Ship Time, weeks
6515015092908	Dep Pak – FOUR Patient 4 YEAR SHELF LIFE	1	EA	8000-4017-30	\$280.00	\$280.00	ZOLL	48	N	2
6515015186021	Single Patient Use Airway Adapters (10)	1	(10s)EA	8000-0260-01	\$63.90	\$63.90	ZOLL	indef	N	2
6515015173851	XL Smart Ready Lead Acid Battery	1	EA	8000-0686-01	\$422.00	\$422.00	ZOLL	48	N	2
6515015185984	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185995	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186030	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$396.00	\$396.00	Zoll	inde	N	2




DEP PAK FOUR, PATIENT 8000-4017-30




1X1 BATTERY CHARGER 8050-0022-30




XL SMART READY LEAD ACID BATTERIES, 8000-0686



5 LEAD ECG CABLE 8000-0527-30




MILITARY UNIVERSAL CABLE, 8000-0308-30




M SERIES EXTERNAL PADDLE ASSEMBLY, 8000-1010-01




CUFF NIBP ADULT AND HOSE 8000-0654



ETCO2 CABLE WITH MAINSTREAM CAPNOSTAT SENSOR 8000-0410



MILITARY SpO2 ADULT SENSOR 8000-0245



MILITARY SpO2 CABLE 8000-0246-30




TEMPERATURE CABLE & PROBE 8000-0409



Hardigg Case w/label 8000-0850-30 CASE ONLY ITEMS SHOWN IN THIS CASE INCLUDES THE STARTUP KIT





8000-0527-30

ELECTROCARDIOGRAPH CP-20 TOC

WELCH ALLYN INCORPORATED MODEL CP-20

Manufacturer's PHONE: (315) 685-4560 Fax (315) 685-4091

Website: http://www.welchallyn.com

AAC "L" ITEM NSN 6515-01-505-3025

UA: N308

USAMMA POC: Equipment Acquisition Division, 301 619-4060, DSN 343-4060 UNIT PRICE: \$3,695.49

Description: A full size, 8.5 X 11 inch report, alphanumeric keyboard for patient data entry, backlit monitor for ECG preview; auto and manual paper feed, rechargeable battery for up to 300 recordings.

Features:

- 12 lead resting ECG with standard ECG measurements
- Backlit 1/4" VGA LCD screen for easy patient data entry
- Full alphanumeric keyboard
- High resolution thermal print head generating 8.25" x 11" reports
- Multiple printouts including 3x4+1, 3x4+3, 6 and 12 channel format
- Automatic and manual operation
- Optional Interpretation software
- 8 or 3 channel ECG Waveform Preview Screen
- Storage for up to 50 ECGs
- Transfers ECG records to the CardioPerfectTM Workstation for editing, review and paperless storage
- Optional communication for FAA and connectivity to the CardioPerfect Workstation includes: Modem, -Serial Interface



CHARACTERISTICS

Dimensions	Height	15.5" (39.4 cm)
	Width	17" (43.2 cm)
	Diameter	4" 10.2 cm)
Weight (incl battery)		11.25 lbs / (5.1 kg)
Waveform Display	Backlit, VGA LCD 3 Channel lead groups or	
	complete 8 channel presentation (CP20 only)	
Keyboard Type	Elastomer keypad with complete alphanumeric	
	keys, soft-key menu and dedicated function keys	
Paper Type	8.25" X 11", Z-fold thermal paper	
	200 sheets paper tray	
Thermal Recorder	Computer-controlled dot array, 8 dots/mm	
Thermal Writer		
Speeds	5, 10, 25, 50 mms	
Gain Settings	5, 10, 20 mm/mV	
Report Print Formats	Automatic mode: 3+1, 3+3, 6 channel, 12 channel	
	Rhythm mode: 6 channel w/configure lead groups	
	or 12 channel	
ECG Storage	Up to 50 ECGs (CP 20 only)	
Frequency Response	0.05 to 300 Hz	
Digital Sampling Rate	1,000 s/sec/channel for recording and analysis;	
	10,000 s/sec/channel for pacemaker spike detection	
Power Requirement	Universal AC power supply (100-240 VAC at	
	50/60 Hz) 50 VA	
Battery	Lead acid gel rechargeable battery. Prints up to	
	200 ECGs per charge	
Filters	High performance Baseline Filters	
	40Hz Muscle TremorFilter	
	AC Interference Filter 50/60 Hz	
Safety and Regulatory	ANSI/AAMI EC11, Class I type CF defibrillation	
Compliance	proof	

ELECTROCARDIOGRAPH CONSUMABLES AND ACCESSORIES START-UP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	ig	CONU S Ship Time, weeks
6515015053037		Electrodes, Resting (1000)	45008-0000	1	PG	\$68.12	\$68.12	Welch Allyn	N/A	N	2
		Paper- CP20	94016-0000	1	EA	\$106.65	\$106.65	Welch Allyn	N/A	N	2
		CP 20 Cart with cable arm	08250-0000	1	EA	\$473.65	\$473.65	Welch Allyn	N/A	N	2
		ECG Utility Cart	08265-0000	1	EA	\$543.85	\$543.85	Welch Allyn	N/A	N	2
		ECG Carrying Case	08285-0000	1	EA	\$172.55	\$172.55	Welch Allyn	N/A	N	2
		Power Cable, Hospital Grade	80141-0000	1	EA	\$15.50	\$15.50	Welch Allyn	N/A	N	2
		Patient Cable, 10 Lead, R ECG, AHA CP 10/CP 20	9293-032-60	1	EA	\$215.40	\$215.40	Welch Allyn	N/A	N	2
		Patient Cable, 10 Lead, R ECG, IEC CP 10/CP 20	9293-032-61	1	EA	\$215.40	\$215.40	Welch Allyn	N/A	N	2
6515015053043		Universal Alligator Clips	58581-0000	1	10/SE	\$26.18	\$26.18	Welch Allyn	N/A	N	2
		Universal Electrode Adapters	58546-0000	1	10/SE	\$42.20	\$42.20	Welch Allyn	N/A	N	2
6515015053030		A-53 Carry Case (12 leads)	A-53	1	EA	\$156.06	\$156.06	Welch Allyn	N/A	N	2

FIXATION EXTERNAL ORTHOPEDIC STER HOFFMAN II STYLE COMPLETE FORWARD DEPLOYED FIELD PACK FIXATOR TOC

STRYKER/ORTHOPEDICS MODEL # 4920-9-950

Manufacturer's PHONE: (201) 831-5726 FAX (201) 831-6553

Website: http://www.trauma.stryker.com

AAC "L" ITEM NSN 6515-01-463-1464


UA's:2267, N302, N308, M342, M542, M583, M742, M783

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$1,702.00



- ♦ Sterile, ready to use
- ♦ Simple to apply
- ♦ Self-drilling, self-tapping Apex® pins (no power needed)



	mponent Listing Description	Qty
A	Multi-Pin Clamp Assembly	2
В	5mm x 180mm Apex® SD/ST Half Pins	4
С	30° Angled Post, Stainless Steel	2
D	Rod-to-Rod Coupling 8/8mm	2
E	Carbon Connecting Rod 8mm x 400mm	1
F	Pin Driver/Wrench Assembly	1
G	#10 Scalpel	1

Complete Forward Deployed Field Pack Fixator - Catalog #4920-9-950 NSN #6515-01-463-1464

Specifications:

Dimensions: 16.5 in (42 cm) L

7 in (18 cm) W 2 in (5cm) D

Weight: 1.9 lb (0.86) kg

May be used for tibia, femur, humerus, or pelvis as long as neurovascular structures are avoided. Detailed instructions included with each kit.

The Forward Deployed Field Pack is for temporary stabilization and transportation only.

FIXATION EXTERNAL ORTHOPEDIC ACCESSORIES

NSN	NOTES	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Refr ig Y/N	CONUS Ship Time, weeks
6515014631464		Complete Forward Deployed Field Pack Fixator	1	EA	4920-9-950	\$1702.00	\$1702.00	STRYKER	N	2
6515014631475	Included W/NSN	Pin Clamp Assembly W/No Post Ortho	1	EA	4920-2-020	\$311.00	\$311.00	STRYKER	N	2
6515015131261		Pin Bone Hoffman Extension Fixation System 5MM Dia x 180MM Long	1	EA	5018-6-180	\$86.00	\$86.00	STRYKER	N	2
6515014631497	Included W/NSN	Post Angled Fixation Ortho 30 Deg SS	1	EA	4920-2-140	\$55.00	\$55.00	STRYKER	N	2
6515014631498	Included W/NSN	Coupling Fixation Ortho 8/8MM Replacement Item	1	EA	4920-1-010	\$279.00	\$279.00	STRYKER	N	2
6515015040434	Included W/NSN	Rod Carbon Connecting EXT Fixator 400MM Long 8MM Width	1	EA	5029-8-840	\$87.00	\$87.00	STRYKER	N	2
NO STK # NEEDED	Included W/NSN	Pin Driver/Wrench Assembly						STRYKER	N	2
PRIME VENDOR	Included W/NSN	#10 Scalpel						STRYKER	N	2

FLUID WARMING SYSTEM TOC

BELMONT INSTRUMENT CORP MODEL # FMS2000 PART #:903-00001B

Manufacturer's PHONE: (978) 663-0212 FAX (978) 663-0214

Website: http://www.belmontinstrument.com

AAC "W" ITEM NSN 6515-01-370-5019 AAC "J" ITEM NSN 6515-01-465-2059

UA's: 3267, 9300, 9304, 9303, 267B, F301, F308, F309, N301, N308, N308


USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$18,700.00


System Description: The unit delivers blood or replacement fluid at high infusion rate for use in trauma and high blood loss surgery. The system combines a high speed fluid pump, a compact blood and fluid warmer, air detection and removal, and pressure monitoring in a 26 pound package, which mounts to an IV pole. The system is easy to use, quick to set up with nearly instantaneous infusion, and fluid heating. The line pressure control turns off pump, and alerts the Operator if the fluid line is obstructed. A single pass through the induction heater brings fluid to normathermia in seconds. The Operator controlled fluid delivery rates of 1- - 750 ml per minute at physiological temperatures.



FLUID WARMING SYSTEM PART # 903-00001B NSN 6515-01-465-2059

SIDE VIEW





3-BAG SPIKE DISPOSABLE SET PART # 903-00006 NOT INCLUDED W/NSN

Portability:	Quick-on IV Pole Mount or Handle at top of unit.
Power:	115 volt, 15A AC, or 220-240 Volt, 7.5A AC input
Battery:	Internal, rechargeable for transport. Operates all functions without heating.
Fluid Pump:	Roller type peristaltic pump.
Heater:	Maximum applied power, 1500 watts.
Sensors:	2 Air bubble sensors, pressure transducer (fluid). 2 temperature probes (infrared sensing), pump flow rate sensor.
Control Computer:	Built-in, controls all functions, with redundant hardwired overrides in case of computer failure.
Display:	5 in. x 2.5 in. Electroluminescent type, with waterproof touch pad.

FLUID WARMING SYSTEM PHYSICAL AND ENVIRONMENTAL SPECIFICATION

Dimensions	Height	13.5 inches
	Width	7.5 inches
	Depth	12 inches
Cube		0.703 cubit feet
Weight		26 lbs
Operating Temperature Range		50° F to 89.6° F
Storage Temperature Range		5° F to 104° F
Relative Humidity (in use)		10% to 90 % non-condensing
Relative Humidity (storage)		10 % to 90 % non-condensing
Power Requirements		115 VAC 60 Hz Internal rechargeable
_		battery (will not power heat function).
Amps		15 amps
Watts		1500 watts

FLUID WARMING SYSTEM (START-UP)

											CONUS
									Shelf		Ship
										Refrig	
NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	months	Y/N	weeks
		Fluid Warming						BELLMONT			
6515014652059		System	903-00001B	1	EA	\$18,700.00	\$18,700.00	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
		Carrying Case	603-00039	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		IV pole portable									
		telescopic,				Included w/	Included w/	BELLMONT			
		Assembly	403-00284	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		Reservoir Support				Included w/	Included w/	BELLMONT			
		Assembly	403-00247	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		2-Hook Assembly,									
		Portable				Included w/	Included w/	BELLMONT			
		T4elescopic IV Pole	403-00285	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
		2-Hook Assembly,				Included w/	Included w/	BELLMONT			
		knob	403-00259	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
		Power Cord, 120V	118-0096	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
	CD ROM	Operator Manual	702-00040	1	EA	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
						Included w/	Included w/	BELLMONT			
	Hard copy	Operator Manual	702-00001	1	EA	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3
•						Included w/	Included w/	BELLMONT			
	Physically big	Service Manual	702-00046	1	EΑ	2059 NSN	2059 NSN	INST.CORP.	N/A	N	3

ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THE FLUID WARMING SYSTEM

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONUS Ship Time, weeks
		3 Bag Spike									
		Disposable Set	903-		12\			BELLMONT			
6515015178115	IN THE UA	Model 2516	00006	4	PG	\$1500.00	\$1500.00	INST.CORP.	24	N	3

FLUID WARMING SYSTEM (RESUPPLY)

											CONUS
									Shelf		Ship
						Unit	Total		Life,	Refrig	Time,
NSN	Notes	Nomenclature	PN	QTY	UI	Price	Price	DIST/MFG	months	Y/N	weeks
								BELLMONT			
		Carrying Case	603-00039	1	EΑ	\$600.00	\$600.00	INST.CORP.	N/A	N	3
		IV pole portable						BELLMONT			
		telescopic, Assembly	403-00284	1	EΑ	\$270.00	\$270.00	INST.CORP.	N/A	N	3
		Reservoir Support						BELLMONT			
		Assembly	403-00247	1	EΑ	\$31.90	\$31.90	INST.CORP.	N/A	N	3
		2-Hook Assembly,									
		Portable T4elescopic IV						BELLMONT			
		Pole	403-00285	1	EΑ	\$86.25	\$86.25	INST.CORP.	N/A	N	3
								BELLMONT			
		2-Hook Assembly, knob	403-00259	1	EΑ	\$45.36	\$45.36	INST.CORP.	N/A	N	3
								BELLMONT			
		Power Cord, 120V	118-0096	1	EΑ	\$52.00	\$52.00	INST.CORP.	N/A	N	3
								BELLMONT			
	CD ROM	Operator Manual	702-00040	1	EA	\$5.00	\$5.00	INST.CORP.	N/A	N	3
								BELLMONT			
	Hard copy	Operator Manual	702-00001	1	EΑ	\$39.60	\$39.60	INST.CORP.	N/A	N	3
	Physically							BELLMONT			
	big	Service Manual	702-00046	1	EΑ	\$45.89	\$49.89	INST.CORP.	N/A	N	3
	Require item										
	but not incl	3 Bag Spike Disposable			12\			BELLMONT			
6515015178115	w/NSN	Set Model 2516	903-00006	1	PG	\$1500.00	\$1500.00	INST.CORP.	24	N	3

LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED TOC WITH CASE

WELCH ALLYN MODEL # MIL-5062

Manufacturer's PHONE: (315) 685-4560 FAX (315) 683-3361

Website: http://www.welchallyn.com

AAC "L" ITEM NSN 6515-01-526-4240

UA: N301, N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$1250.00

Special Features"

- Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations.
 - Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade.
 - Improved design with reduced proximal blade height assists in intubating patients with limited oral access.
 - Single-piece stainless steel blades ensure blade integrity (no soldered joints).



PELICAN CASE, PART # 1490 NSN 6530-01-526-9659



LARYNGOSCOPE SET COMPREHENSIVE, PART #MIL-5062 NSN 6515-01-526-4240

CHARACTERISTICS

Case Dimensions	Height	19 1/2"
	Width	14"
	Depth	4 3/4"
Weight	9.545 lbs	
Cubic Feet	.154 Cubic ft	
Power Requirements	Battery Operated D CELL C	
_	Cell "AA" cell required	



SPARE LAMPS # 06000-U NSN 6515-01-519-4257 LAMP # 608125-501 NSN 6240-01-526-9631 MILLER SIZE 0 # 68060 NSN 6515-01-527-2281 MILLER SIZE 1 #68061 NSN 6515-01-442-3002



STUBBY HANDLE # 60815 NSN 6515-01-527-2289 "AA" HANDLE # 60814 NSN 6515-01-445-1081 "C" SIZE HANDLE # 60813 NSN 6515-01-445-1082



ENGLISH MACINTOSH SIZE 1 # 69211 NSN 6515-01-467-3729 ENGLISH MACINTOSH SIZE 2 # 69212 NSN 6515-01-467-4411 ENGLISH MACINTOSH SIZE 3 # 69213 NSN 6515-01-467-3430 ENGLISH MACINTOSH SIZE 4 # 69214 NSN 6515-01-467-3431



MILLER BLADE SIZE 2 # 68062 NSN 6515-01-527-2283 MILLER BLADE SIZE 3 # 68063 NSN 6515-01-519-4239 MILLER BLADE SIZE 4 # 68062 NSN 6515-01-527-2286

LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES START-UP

NSN	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015269659	PELICAN CASE	1	ΕΛ	1490	\$30.37	\$30.37	WELCH ALLYN	N∖A	N	2
6515015194257	LIGHT BULB LARYNGOSCOPE	4		06000-U	\$30.37	\$121.98	WELCH ALLYN	N\A	N	2
6240015269631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N∖A	N	2
6515015272281	MILLER BLADE SIZE 0	1	EA	68060	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515014423002	MILLER BLADE SIZE 1	1	EA	68061	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515015272289	STUBBY HANDLE	1	EA	60815	\$101.58	\$101.58	WELCH ALLYN WELCH	N∖A	N	2
6515 015194259	"AA" HANDLE	1	EA	60814	\$132.97	\$132.97	ALLYN	N∖A	N	2
6515014451082	"C" SIZE HANDLE	1	EA	60813	\$79.39	\$79.39	WELCH ALLYN	N∖A	N	2
6515014673429	ENGLISH MACINTOSH SIZE 1	1	EA	69211	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515014674411	ENGLISH MACINTOSH SIZE 2	1	EA	69212	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515014673430	ENGLISH MACINTOSH SIZE 3	1	EA	69213	\$92.22	\$92.22	WELCH ALLYN	N∖A	N	2
6515014673431	ENGLISH MACINTOSH SIZE 4	1	EA	69214	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515015272283	MILLER BLADE SIZE 2	1	EA	68062	\$109.51	\$109.51	WELCH ALLYN	N∖A	N	2
6515015194239	MILLER BLADE SIZE 3	1	EA	68063	\$182.59	\$182.59	WELCH ALLYN	N∖A	N	2
6515015272286	MILLER BLADE SIZE 4	1	EA	68064	\$109.51	\$109.51	WELCH ALLYN	N A	N	2
6240015269660	Pen Lite	1	EA	76600	\$48.00	\$48.00	WELCH ALLYN	N A	N	2

LARYNGOSCOPE SET FIBER OPTIC BATTERY & ACCESSORIES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.98	WELCH ALLYN	N∖A	N	2
6240015269631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N∖A	N	2

LIGHT HEAD GENERAL PURPOSE HEADBAND TOC

WELCH ALLYN INCORPORATED MODEL # 49020

Manufacturer's Phone: (315) 685-4560 FAX (315) 683-3361

Website: http://www.welchallyn.com

AAC "L" ITEM NSN 6230-01-520-3474

UA's: 2267, N301, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$447.53

Special Features:

- Weighting less than four ounces, it's one of the most comfortable lightweight headlights available
- With a color temperature of 5500 Kelvin, this light supplies bright, white, shadow-free light allowing the end user to see tissue characteristics without distortion
- It's operating life expectancy is 10,000
- Enjoy the flexibility of operating the headlight using the direct power source or the rechargeable "belt-clip: portable power source.

Clinical Benefits

- Long operating life (10,000 hours of continuous burn)
- More energy efficient than incandescent and halogen lamps
- Cool beam is safe to touch
- Instant light (less than 100ns)
- Virtually maintenance-free operation
- No UV rays

Suggested Applications The Solid State Procedure Headlight provides ideal illumination for procedures such as minor surgery, general examinations, foreign body removal, OB/GYN applications and procedures, dermatology examinations or any procedure that requires a small, homogenous and well-defined spot.

WELCH ALLYN.

SURGICAL HEADLIGHT



Technical Specifications

Spot Size Range: 1.5 to 6 inches at the working distance **Light Source**: Five-watt Solid State lamp, color temperature 5500 Kelvin, TBD Lumens, life 10,000 hours continuous

burn

Working Distance: 16 inches

Battery Run-Time: One hour continuous run-time on a fully charged battery

Battery Life: Approximately 2.5 years (depending on usage)

Warranty: One-year limited warranty

CONSUMABLES ACCESSORIES STARTUP

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	CONU S Ship Time, weeks
6530015225307	Included W/NSN	Carrying Case	49099	1	EA	\$193.98	\$193.98	WELCH ALLYN	2
6230015221304		Charger Only for Portable Power Source	74180	1	EΑ	\$37.11	\$37.11	WELCH ALLYN	2
6230015221307	Included W/NSN	Portable Power Source Only	75200	1	EA	\$154.78.	\$154.78	WELCH ALLYN	2
6230015221337	Included W/NSN	Direct Power Supply	75270	1	EA	\$50.75	\$50.75	WELCH ALLYN	2



CARRYING CASE, PART# 49099 6530015225307



PORTABLE POWER SOURCE ONLY, PART # 75200 6230015221307



DIRECT PLUG IN TRANSFORMER UNIT, PART # 75270 6230015221337



CHARGER, PART # 74180 6230015221304

LIGHT SURGICAL STAND COLOR CORRECT SHADOW TOC

FEDMEDICAL INC MODEL # FMI-301FB

Manufacturer's PHONE: (843) 554-7004 FAX (843) 832-4343

Website: http://www.fedmedical.com

AAC "L" ITEM NSN 6530-01-518-9854

UA's: 2267, 4901, 4905, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$6,187.16

System Description: Color-correct, shadow-free, illumination, full-sized surgical light, floor mounted, swivel light, 12V halogen bulb, 50 watt, lamp housing diameter, 11.4 inch, 6 hour back-up battery and case, for field or theater of operation use, ultra-light suspension. The base of this light is made of 14 gauge, powder coated steel and can hold 250 lbs. The lamp suspension allows fingertip control and secure, drift-free positioning. **Special Features:**

Internal "smart" circuit automatically adjusts for 110-220VAC or 24VDC 62 amp hr 50,000 lux of color-correct brilliance at (1-m)

More accurate tissue differentiation and diagnosis—with 4,500 K color temperature for truer colors

27" depth of field and 5.5" field diameter Optimized shadow reduction Sealed light head keeps contaminates out Quick, tool-free bulb exchange Extremely low heat emission Drift-free suspension



CHARACTERISTICS

Dimensions Case	Height	20"	Maximum from lens to
			floor 78" (198 cm)
	Width.	28"	
	Depth	34"	
Weight		120 lbs	
Cube Ft		11.01	
Operating Temperature			
		35°F to 130°F	
Operating Humidity		90 RH	
Storage Temperature		32°F to 150°F	
Storage Humidity		99 RH	
Power Requirements		110-220 VAC	24 VDC
Amps		55 amps	2 amps
Watts		230 watts	



BASE OF SYSTEM



LIGHT SURGICAL FIELD UNIT ACCESSORIES

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONUS Ship Time, weeks
6530015275566	Included W\NSN	Reusable,sterilizable light handle cover	41-2001	1	EA	\$89.25	\$89.25	Fedmedical inc.	N	N	2
6530015275501	Included W\NSN	Disposable light handle cover	41-2002	1	BX\25s	\$85.45	\$85.45	Fedmedical inc.	N	N	2
6530015275497	Included W\NSN	Bulb, 12 volt, 50 watt, Halogen	41-2010	1	EA	\$87.35	\$87.35	Fedmedical inc.	N	N	2
6530015275487	Included W\NSN	15 ft DC cord w/connector	41-2020	1	EA	\$60.75	\$60.75	Fedmedical inc.	N	N	2
6530015275490	Included W\NSN	Hardened case with foam	41-2100	1	EA	\$844.65	\$844.65	Fedmedical inc.	N	N	2
6130015263300	Included W\NSN	12 VOLT Battery, 55 amp hour	41-1002	1	EA	\$100.00	\$100.00	Fedmedical inc.	N	N	2

MONITOR PATIENT VITAL SIGNS SPO² TOC

WELCH ALLYN

MODEL #: PROPAQ 206 EL W/PULSE OXIMETRY Manufacturer's PHONE: (503)-530-7500 FAX (503)-530-4910

Website: http://www.welchallyn.com

AAC "W" ITEM 6515-01-465-3285 AAC "J" ITEM 6515-01-432-2707

UA's: 2257, 2261, 3257, 5267, 9300, 9302, 9303, 9306, 261A, 257A, 267A, N308, N309, F308, F309

USAMMA POC: Equipment Acquisition Division, 301-619-4060, DSN 343-4060

UNIT PRICE: \$16,812.69

SYSTEM DESCRIPTION: Rugged, lightweight, portable vital signs monitor for field use.

TEST PERFORMED

Heart/Pulse rate
3-5 Lead ECG
Non Invasive BP
2 Channel Invasive BP
Temperature
Pulse Oximetry
Respiration


ADVANTAGES

Motion tolerant monitoring. Small, lightweight Ease of use Modular Ruggedized Automatic sensor detection




Operator Familiarization: CD-ROM is available.

PROPAQ 206 EL VITAL SIGNS MONITOR RIGHT SIDE VIEW





5 LEAD ECG CABLE, WITH ATTACHED LEAD WIRES, (008-0313-00)



NIBP CUFF,ADULT STUFF W/TWIST LOCK CONNECTOR (008-0628-00)



CABLE, PULSE OXIMETRY, 8 FEET, (008-0742-00)



HOSE, NIBP ADULT/PEDIATRIC, (008-0238-00)




AC POWER ADAPTER, (503-0054-0)



NIBP CUFF KIT ADULT, (008-0324-00)



DURASENSOR REUSABLE FINGER, SPO2, (900-0021-00)



NIBP CUFF KIT PEDIATRIC, (008-0324-00)



NIBP CUFF KIT THIGH, (008-0324-00)



TEMPERATURE PROBE, (008-0230-00)



MILITARY REUSABLE CONTAINER (008-0586-00)
WITH ACCESSORIES SHOWN

PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	9.6"	
	Width	8.2"	
	Depth	7.6"	
Weight		13.5 lbs	
Operating Temperature			
		0 to 40C degrees	
Storage Temperature		-20 to 60C degrees	
Humidity		15% to95% non-condensing	
Power Requirements		110/208VAC=/- 10%, 50/60	12-23 VDC
		HZ	
		.06 KW	

PROPAQ 206EL MONITOR WITH PULSE OXIMETRY (STARTUP)

NSN	NOTES	Nomenclature	QTY	TIT	PART#	UNIT PRICE	Total Price	MFG	Shelf Life, month	Refrig Y/N	CONUS Ship Time, weeks
See Resupply 10	NOTES	Nomenciature	QII	O1	See Resupply	I KICL	Total Trice	Welch	5	1/11	WEEKS
Roll	Incl W/ NSN	Paper 3 Rolls	3	EA	10 Roll			Allyn	Indef	N	2
6515015189543	Incl W/ NSN	1 pkg of 5 Electrodes Gelled	1	PG	6200-10	\$5.00	\$5.00	Welch Allyn	indef	N	2
6515015195855	Incl W/ NSN	Electrode Electrocardiograph	1	30/BG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2
6515015189559	Incl W/ NSN	Military Container	1	EA	008-0586-00	\$576.40	\$576.40	Welch Allyn	Indef	N	2
6515015190163	Incl W/ NSN	Pulse oximetry probe reusable durasensor DS100A	1	EA	900-0021-00	\$337.00	\$337.00	Welch Allyn	Indef	N	2
6515015189839	Incl W/ NSN	Temp Probe General Purpose Reusable Adult General Purpose	1	EA	008-0230-00	\$63.32	\$63.32	Welch Allyn	Indef	N	2
6515014989984	Incl W/ NSN	Temp Extension Cable, 10 ft for Reusable Temp probe	1	EA	008-0235-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2
6515015189556	Incl W/ NSN	NIBP Cuff, adult standard reusable w/ "twist lock" connector	1	EA	008-0628-00	\$35.00	\$35.00	Welch Allyn	Indef	N	2
6515015190962	(must designate 5 lead) Incl W/ NSN	ECG Cable, 5 lead, 10 foot, W/5 attached lead wires, snap	1	EA	008-0313-00	\$91.00	\$91.00	Welch Allyn	Indef	N	2
6515015191102	Incl W/ NSN	AC Adapter for recharging battery, 120 VAC 60 HZ	1	EA	503-0054-02	\$122.00	\$122.00	Welch Allyn	Indef	N	2
6515015039828	Incl W/ NSN	Power Cord, Hospital Grade 100-120 VAC	1	EA	008-0333-00	\$23.00	\$23.00	Welch Allyn	Indef	N	2
6515015010661	Incl W/ NSN	Cable, Pulse Oximetry, 8 foot extension	1	EA	008-0742-00	\$65.00	\$65.00	Welch Allyn	Indef	N	2
6515014365080	Incl W/ NSN	Hose, NIBP Adult/Pediatric	1	EA	008-0238-00	\$20.00	\$20.00	Welch Allyn	Indef	N	2
6515015191100	Incl W/ NSN	Cuff Kit, NIBP adult reusable w/ "twist lock" connector	1	EA	008-0324-00	\$94.97	\$94.97	Welch Allyn	Indef	N	2
7610015189140	Incl W/ NSN	Technical Reference Guide (Service Manual), CD FORMAT	1	EA	810-1084-01	\$45.00	\$45.00	Welch Allyn	Indef	N	2
Need NSN	Incl W/ NSN	(Service Manual), Hard Copy Format	1	EA	810-1316-02	\$45.00	\$45.00	Welch Allyn	Indef	N	2
7610015189122	Incl W/ NSN	Operator's Manual Hard Copy Format	2	EA	810-0867-00	\$45.00	\$90.00	Welch Allyn	Indef	N	2

PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6515014128673	Paper, Printer, Roll	1	10PG	008-0040-98x	\$27.00	\$27.00	Welch Allyn	Indef	N	2	
6515015195855	Electrode Eltrocardiograph	1	30PG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2	FINGER 6 PATIENTS

PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES OPTIONAL ITEMS

NSN	NOTES	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks
7610015189142	Optional Item	Video, In-service North America (NTSC)	1	EA	810-0835-00	\$38.00	\$38.00	Welch Allyn	indef	N	2
6515012714894	Optional Item	SENSOR,SPO2,FINGER DISPOSABLE	1	24sPG	D-25	\$394.18	\$394.18	NELLCOR	indef	N	2

MONITOR PATIENT VITAL SIGNS W/SPO² & CAPNOGRAPHY TOC

WELCH ALLYN

MODEL#: PROPAQ 206EL MONITOR W/SPO₂ AND CAPNOGRAPHY (Side stream, mainstream or dual)

Manufacturer's PHONE: (503) 530-7500 FAX: (503) 530-4910

Website: http://www.welchallyn.com

AAC "W" NSN 6515-01-465-3289 AAC "J" NSN 6515-01-432-2711

UA's: 2267, 3267, 267B, 905A, 912A, N301, N308, N309, N432, F301, F308, F309, F383

USAMMA POC: Equipment Acquisition Division, 301 619-4060, DSN 343-4060 UNIT PRICE: SPO², Capnography (Sidestream, mainstream or dual \$10,548)

System Description: Rugged, lightweight, portable vital signs monitor for field use

TEST PERFORMED

Heart/Pulse rate 3-5 Lead ECG Non Invasive BP 2 Channel Invasive BP Temperature Pulse Oximetry Respiration

ADVANTAGES


Motion tolerant monitoring. Small, lightweight Ease of use Modular Ruggedized Automatic sensor detection

PROPAQ 206 EL VITAL SIGNS MONITOR FRONTAL VIEW




Operator Familiarization: CD-ROM is available.

PROPAQ 206 EL VITAL SIGNS MONITOR LEFT SIDE VIEW



PROPAQ 206 EL VITAL SIGNS MONITOR RIGHT SIDE VIEW





ECG CABLE, 5 LEAD, (008-0313-00)



NIBP CUFF, ADULT (008-0628-00)




CABLE, PULSE OXIMETRY, 8 FEET, (008-0742-00)




 $\begin{array}{c} HOSE, NIBP\ ADULT/PEDIATRIC,\\ (008-0238-00) \end{array}$



AC POWER ADAPTER, (503-0054-00)



NIBP CUFF KIT ADULT, (008-0324-00)



DURASENSOR REUSABLE FINGER, SPO², (900-0021-00)



NIBP CUFF KIT PEDIATRIC, (008-0324-00)



KIT NIBP CUFF THIGH, (008-0324-00)




TEMPERATURE PROBE, (008-0230-00)



SIDE STREAM CANNULA CO² W/WATER TRAP

ADULT (008-0769-00)



CO² Sensor Airway Adapter with 10' cable 008-0502-00

 ${
m CO^2\,Airway\,Adapters\,Single\,Pt}$ use for Mainstream only 008-0367-00



MILITARY REUSABLE CONTAINER (008-0586-00) WITH ACCESSORIES SHOWN

PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	9.6"
	Width	8.2"
	Depth	7.6"
Weight		
		13.5 lbs
Operating Temperature		0° to 40°C degrees
Storage Temperature		-20° to 60°C degrees
Humidity non-condensing		15% to 95%
Power Requirements		110/208VAC=/- 10%, 50/60 HZ
_		.06 KW
		12-23 VDC

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY (START-UP)

									Shelf Life,		CONUS
						UNIT				Refrig	Ship Time,
NSN	NOTES	Nomenclature	QTY	UI	PART#	PRICE	Total Price	MFG	s	Y/N	weeks
See Resupply 10					See Resupply			Welch			
Rolls	Incl W/ NSN	Paper 3 Rolls	3	EA	10 Roll			Allyn	Indef	N	2
		1 pkg of 5 Electrodes						Welch			
6515015189543	Incl W/ NSN	Gelled	1	PG	6200-10	\$5.00	\$5.00	Allyn	indef	N	2
		Electrodes		20/75/67		***		Welch			
6515015195855	Incl W/ NSN	Electrocardiograph	1	30/BG	6200-11	\$22.39	\$22.39	Allyn	indef	N	2
6515015100550	I INVINCAL	Mills C	,	EA	000 0506 00	¢576.40	¢57.6.40	Welch	T 1 C	N.T.	
6515015189559	Incl W/ NSN	Military Container	1	EA	008-0586-00	\$576.40	\$576.40	Allyn	Indef	N	2
		Pulse oximetry probe reusable durasensor						Welch			
6515015190163			1	EA	900-0021-00	\$337.00	\$337.00	Allyn	Indef	N	2
0010010170100	11101 ((() 1101)				00 0021 00	φυυν.ου	4557.00	Welch	macı		
6515015189839	Incl W/ NSN	Temp Probe General Purpose Reusable Adult	1	EA	008-0230-00	\$63.32	\$63.32	Allyn	Indef	N	2
0313013189839	IIICI W/ INSIN	Temp Extension Cable,		LA	008-0230-00		\$03.32	Allyli	muei	11	
		10 ft for Reusable Temp						Welch			
6515014989984	Incl W/ NSN	probe	1	EA	008-0235-00	\$49.75	\$49.75	Allyn	Indef	N	2
		NIBP Cuff, adult					·				
		standard reusable w/						Welch			
6515015189556	Incl W/ NSN	"twist lock" connector	1	EA	008-0628-00	\$35.00	\$35.00	Allyn	Indef	N	2
	(must designate	ECG Cable, 5 lead, 10									
	5 lead)	foot, W/5 attached lead						Welch			
6515015190962	Incl W/ NSN	wires, snap	1	EA	008-0313-00	\$91.00	\$91.00	Allyn	Indef	N	2
		AC Adapter for						*** 1 1			
6515015101102	In al W/ NCM	recharging battery, 120 VAC 60 HZ	1	EA	503-0054-02	\$122.00	\$122.00	Welch	Indef	N	2
6515015191102	Incl W/ NSN		1	EA	303-0034-02	\$122.00	\$122.00	Allyn Welch	maei	IN	
6515015039828	Incl W/ NSN	Power Cord, Hospital Grade 100-120 VAC	1	EA	008-0333-00	\$23.00	\$23.00	Allyn	Indef	N	2
0313013037828	IIICI W/ INSIN	Cable, Pulse Oximetry,	1	LA	000-0333-00	Φ23.00	φ23.00	Welch	muci	11	
6515015010661	Incl W/ NSN	8 foot extension	1	EA	008-0742-00	\$65.00	\$65.00	Allyn	Indef	N	2
0313013010001	mer vv rvorv	Hose, NIBP		La r	000 07 12 00	φου.σο	φου.σσ	Welch	macı	- 11	
6515014365080	Incl W/ NSN	Adult/Pediatric	1	EA	008-0238-00	\$20.00	\$20.00	Allyn	Indef	N	2
		Cuff Kit, NIBP adult					·				
		reusable w/ "twist lock"			Keep old #008-			Welch			
6515015191100	Incl W/ NSN	connector	1	EA	0324-00	\$94.97	\$94.97	Allyn	Indef	N	2
		Technical Reference									
		Guide (Service Manual),						Welch			
7610015189140	Incl W/ NSN	CD FORMAT	1	EA	810-1084-01	\$45.00	\$45.00	Allyn	Indef	N	2
NEED MON	I INVINCAL	Service Manual), Hard	,	E 4	010 1216 02	¢45.00	¢45.00	Welch	T 1 C		
NEED NSN	Incl W/ NSN	Copy Format	1	EA	810-1316-02	\$45.00	\$45.00	Allyn	Indef	N	2
7610015189122	Incl W/ NSN	Operator's Manual Hard Copy Format	2	EA	810-0867-00	\$45.00	\$90.00	Welch Allyn	Indef	N	2
7010013109122	INCL. W/NSN	Adult Nasal Cannula		LA	010-0007-00	φτυ.00	φ20.00	Allyli	muei	14	-
	INCL. W/INSIN	w/SamplingLine and						Welch			
6515015224095		Water trap	1	EA	008-0769-00	\$317.00	\$317.00	Allyn	Indef	N	2
	INCL. W/NSN	CO2 Sensor Airway						Welch			
6515 014755511		Adapter with 10' cable	1	EA	008-0502-00	\$1899.45	\$1899.45	Allyn	Indef	N	2
		Adapter CO ² Airway									
	INCL. W/NSN	Patient Vital Signs						Welch			
6515014468319	1	Monitor Adult/Pediatric	1	EA	008-0132-00	\$144.05	\$144.05	Allyn	Indef	N	2
	INCL. W/NSN	Cable Temperature 10'		EA				L			
C515 01 400000 1		Ext, For Reusable Temp			000 0225 00	¢40.00	¢40.00	Welch	T 1 C		
6515 014989984	INCL WATER	Probe	1	E 4	008-0235-00	\$49.98	\$49.98	Allyn	Indef	N	2
	INCL W/NSN	Probe, Temperature, Reusable, Adult General		EA				Welch			
6515015193763		Purpose	1		008-230-00	\$49.75	\$49.75		Indef	N	2
0212012132/03	1	n arbose	1	<u> </u>	000-230-00	φ + 2./J	φ + 2./3	zmyn	muei	1.4	

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY (RESUPPLY)

NSN	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6515014128673	Paper, Printer, Roll	1	10PG	008-0040-98x	\$27.00	\$27.00	Welch Allyn	Indef	N	2	
	Electrodes Electrocardiograph	1	30pg	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N		FINGER 6 PATIENTS
	Adapter airway CO ² single PT USE low dead space	1	10/pg	008-0263-00	\$163.25	\$163.25	Welch Allyn	indef	N	2	

The Propaq 206 monitors are shipped complete with adult, pediatric, and neonatal monitoring capability. The monitor includes 3 or 5 lead ECG (user specified), NIBP, 2 IBP, 2 TEMP, Respiration and Nellcor SpO₂. Includes a 3 year warranty.

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY OPTIONAL ADDITIONAL ACCESSORIES

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515012714894	Optional	Sensor ,SPO2,Finger Disposable	D-25	01	EA	\$.394.18	\$394.18	NELLCOR	indef	N	2
6515014466260	Optional	CO ² Sensor Airway Adapter w/10 ft cable for Mainstream	008-0130-01	01	EA	\$2,016.63		Welch Allyn	N	N	2
6515 015224081	Optional	CO ₂ Airway Adapters, Multi-use Adult/Peds	008-0261-00	01	EA	\$691.95		Welch Allyn	N	N	2
6515 014470079	Optional	CO ₂ Airway Adapters, Single PT Use Low Deadspace	008-0263-00	01	EA	\$343.72		Welch Allyn	N	N	2
6515 015224101	Optional	Pediatric Nasal Cannula w/Sampling Line and Water trap	008-0770-00	01	EA	\$328.00		Welch Allyn	N	N	2
6515 015224084	Optional	CO2 Airway Adapters Single Pt use for Mainstream only	008-0367-00	01	EA	\$288.00		Welch Allyn	N	N	2
6515013960711	Optional	Paper EKG 100 ft yd L X 60MM w/100 rolls	008-0040-99	01	EA	\$271.35	271.35	Welch Allyn	N	N	2
6515014346106	Optional	Cable Monitoring Set Arterial Pressure Reusable 15 ft	42661-04	01	EA	\$118.58	\$118.58	Abbott	N	N	2
6515014341421	Optional	Monitoring Set Arterial Pressure Sterile /20s	42589-05	02	PG	\$871.81	\$1,743.62	Abbott	N	N	2

NEBULIZER, ULTRASONIC PORTABLE TOC

SUNRISE MEDICAL DEVILBISS DIVISION MODEL # 6810P-D

Manufacturer's PHONE: (303) 218-4600 FAX (760) 930-1575

Website: http://www.sunrisemedical.com

AAC "J" ITEM NSN 6515-01-532-6706

UA: N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$80.35

System Description: Air is drawn through the nebulizer via a check-valve. This check-valve system increases nebulizer output during inhalation, thereby decreasing medication waste. The nebulizer is top-shelf dishwasher safe, features a spill-resistant design that allows you to nebulize at 45 degree angles, and can accommodate any standard aerosol mask. The small size of the nebulizer allows for therapy at home or on the go and features ease-of-use. The AC/DC battery portable nebulizer makes it possible to take a treatment wherever you go. Its lightweight, compact size and easy one-touch operation make it perfect for traveling. This unit is conveniently designed to operate from AC power, DC battery power, or an optional DC cigarette lighter cord.



SPECIAL FEATURES:

- Lightweight
- Battery-powered
- Effective and portable

 Nebulizer cup is detachable from compressor tower. With proper cleaning (following the recommendations in the instruction guide) the nebulizer portion of the 6810 Series portable unit can be expected to last up to 6 months. The 6810D-604 nebulizer assembly can be reimbursed using HCPCS code A7005.

CHARACTERISTICS

Dimensions	Height	7.1"
	Width	3.3"
	Length/Depth	1.6"
Weight		1.3 lbs
Nebulizer Capacity		Up to 7ml of medication
MMAD Aerosol Particle Size		3.0 to 4.0 microns
Max Nebulizer Residual Volume		1.5ml or less
Nebulizer Output		0.3 cc/min or greater
Treatment Time		10 minutes
Unit Power Options		AC power, DC Battery, 12V DC
		automobile cigarette lighter
		power cord
Operating Duty Cycle/Operating		AC: 20 Min. on/40 Min. off
Mode		Battery: 20 Min. on/40 Min. off
Noise Level	·	70 dBA
Voltage		120 – 240 VAC
Battery Life		Total battery run time is approx.
		40 minutes.



ADULT AEROSOL MASK AAM20 \$45.83 50s/PG



PEDIATRIC AEROSOL MASK PAM 10 \$54.17 50s/PG

NEBULIZER, ULTRASONIC PORTABLE CONSUMABLES/ACCESSORIES START-UP

NSN	Nomenclature	PN	QT Y		Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6515015347879	Adult Aerosol Mask	AAM20	1	50s/pg	\$45.83	\$45.83	Sunrise Medical	N/A	N	2
6515015348111	Pediatric Aerosol Mask	PAM 10	1	50s/pg	\$54.17	\$54.17	Sunrise Medical	N/A	N	2
6515015348114	Carrying Bag	6810D-607	1	EA	\$12.00	\$12.00	Sunrise Medical	N/A	N	2
6515015348117	Rechargeable Battery	6810D-601	1	EA	\$55.00	\$55.00	Sunrise Medical	N/A	N	2
6515015348134	Adapter Tube and Extension Connect	6810D-608	1	EA	\$16.00	\$16.00	Sunrise Medical	N/A	N	2
6515015348119	Intake and Exhaust Filters (5)	6810D-605	1	5EA	\$9.00	\$9.00	Sunrise Medical	N/A	N	2
6515015348123	Nebulizer Assembly	6810D-604	1	EA	\$29.00	\$29.00	Sunrise Medical	N/A	N	2

OTOSCOPE & OPHTHALMOSCOPE SET TOC

WELCH ALLYN MODEL 92821

Manufacturer's PHONE: (503) 530-7500 FAX (503) 526-4919

Website: http://www.welchallyn.com

AAC "L" ITEM NSN 6515-01-333-3165

UA's: 2256, 2264, 2265, 3264, 9103, 9110, 9111, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$230.58

Features:

- 2.5V Pocket Scope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has 6 aperture selections for general and specialist use, and 48 lenses for better resolution.
 - 2.5V Otoscope also has built-in throat illuminator two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification.
 - 2.5V Pocket Scope handle has a smooth rheostat to control light intensity and features a handy pocket clip.



ACCESSORIES PACKAGE (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONU S Ship Time, weeks
6515015205740	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	FA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1		03900-U		\$13.21	WELCH/ALLYN		N	2
6515015205763	INCLUDED WITH NSN	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	INCLUDED WITH NSN	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	NSN	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2
6545015190982	INCLUDED WITH NSN	CASE SOFT ZIPPER F/POCKETSCOPE	1	EA	05928-U	\$12.00	\$12.00	WELCH/ALLYN	indef	N	2

CONSUMABLES/ OPTIONAL (RESUPPLY)

						Total		Shelf Life, month	Refrig	CONU S Ship Time,
NSN	Nomenclature	QTY	UI	PART#	Unit Price	Price	MFG	S	Y/N	weeks
6135009857845	BATTERY NONRECHARGEABLE ALKALINE 1.5V 1 YEAR SHELF LIFE 24S, AA CELL	1	PG	20-0571- 1988 NEDA 15A	\$4 78	\$4.78	AMERICAN NATIONAL STANDARDS INST	indef	N	2
010000000000000000000000000000000000000	DISPOSABLE SPECULA			31237-	ψ, o	7	CARDINAL			_
6515015250236	4.25MM, 800 COUNT/BAG	1	PG	010A	\$29.04	\$29.04	HEALTH	indef	N	2
6515015250240	DISPOSABLE SPECULA 2.75MM, 800 COUNT/BAG	1	BX	31237- 020A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015205740	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
	BULB REPLACEMENT EXAM INSTRUMENT									
6515015205754	F/OPHTHALMOSCOPE	l	EΑ	03900-U	\$13.21	\$13.21	WELCH/ALLYN	ındef	N	2

ACCESSORIES PACKAGE RESUPPLY

NSN	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONU S Ship Time, weeks
6515015205740	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	FΔ	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205740	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1		03900-U		\$13.21	WELCH/ALLYN		N	2
6515015205763	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2

OXIMETER, PULSE TOC

SMITHS MEDICAL PM INCORPORATED MODEL BCI 3303 W/CONTAINER

Manufacturer's PHONE: (262) 542-3100 FAX (262) 942-0718

Website: http://www.smithsmedical.com

AAC "W" ITEM NSN 6515-01-455-9264 AAC "J" ITEM NSN 6515-01-446-6766


UA 308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$1,904.32

System Description: The hand-held pulse oximeter facilitates spot checking and continuous SpO² and pulse rate monitoring for home-care use, as well as at the hospital bedside or for land or air transport situations. Stores data for later sleep study analysis via a PC or commercially available printer. It's precisely the kind of inspired design you need in hand-held pulse oximetry technology.

ADVANTAGES



- 1. 3 Operating modes enhanced user convenience
- 2. Allows menu-free operation via one-touch, direct-function keys
- 3. Easily adjust LED display brightness to optimize viewing
- 4. Pulse strength bar on screen
- 5. Adjustable alarm limits for Sp0² and pulse rate
- 6. Instantly distinguish between audible patient alarms and system alerts
- 7. View patient history on-screen; recall up to 99 patient Sp0² and pulse rate readings with 24-hour memory
- 8. Protective rubber boot included
- 9. Pole mount available
- 10. Internal rechargeable NiMH battery
- 11. Genuine BCI reusable & disposable sensors available

CHARACTERISTICS

Dimensions	Height	7.25" (18.4 cm)
	Width	3.3" (8.4 cm)
	Diameter	1.85" (4.7 cm)
Weight	19 oz.	539 grams
Oper Temperature	-4°F to 131°F	-20°C to 55°C
Oper Humidity	15-95%	
Storage Temperature	-40°F to 167°F	-40°C to 75°C
Storage Humidity	10-95%	
Power Requirements	105 – 125V, 60 Hz	
Watts	12	

PULSE OXIMETER CONSUMABLES/ACCESSORIES START-UP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6515013366158	Included w/NSN	Sensor Pulse Monitor	3043	1	EA	\$118.50	\$118.50	Smiths Medical	N/A	N	2
6515013340857	Included w/NSN	Probe Finger Oximeter	3044	1	EA	\$173.80	\$173.80	Smiths Medical	N/A	N	2
6510013496728	Included w/NSN	Adhesive Strip 2X.750	3049	1	EA	\$11.85	\$11.85	Smiths Medical	N/A	N	2
5995014687709	Included w/NSN	Cable Oximeter	3311	1	EA	\$43.00	\$43.00	Smiths Medical	N/A	N	2
6130014687722	Included w/NSN	Charger Battery	8210	1	EA	\$86.90	\$86.90	Smiths- Medical	N/A	N	2
6515015329096	Included w/NSN	Protective Rubber Boot w/strap & stand	3353	1	EA	\$25.00	\$25.00	Smiths- Medical	N/A	N	2
7610015329094	Included w/NSN	Operator Manual	1850	1	EA	\$43.45	\$43.45	Smiths- Medical	N/A	N	2
7610015329123	Included w/NSN	Service Manual	1851	1	EA	\$43.45	\$43.45	Smiths- Medical	N/A	N	2

PACEMAKER, CARDIAC, EXTERNAL TOC

MEDTRONIC INCORPORATED MODEL # 5348

Manufacturer's PHONE: (763) 514-3144 FAX (763) 514-4879

Website: http:/www.medtronic.com

AAC "W" ITEM NSN 6515-01-491-4463 AAC "J" ITEM NSN 6515-01-463-0725

UA: N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$2,500.00

Figure. 1. Single-Chamber Model 5348



The Model 5348 temporary pacemaker is designed to be used in conjunction with a cardiac pacing lead system for temporary single-chamber pacing in the clinical environment. There are no known contraindications to the use of temporary pacing as a means to control the heart rate. Model 5348 is designed to deliver high-rate therapy only in the AOO mode. Use in the ventricle could result in life-threatening arrhythmias such as ventricular tachycardia and ventricular fibrillation. A lead with extension cable constitutes a direct, low-resistance current path to the myocardium. During connection and testing procedures only battery-powered instrumentation should be used. Pacemaker includes a carrying case.

Medtronic **does not** sell balloon flow-assisted bipolar electrode catheters that would be needed in a field, emergent environment without fluoroscopy capability. In conjunction with cardiac consultants, it was determined that a 4 French, bipolar electrode would

be a good fit. A source for these temporary pacing electrodes is Bard Electrophysiology.

POC for the pacemaker: Medtronic 180 Admiral Cochrane Drive Suite 530 Annapolis, MD 21401 Carlos Rosario Cell Phone (240) 418-1919

POC for the temporary pacing electrodes:

Bard Electrophysiology 55 Technology Drive Lowell, MA 01851 A/C (978) 441-6202 FAX (978) 323-2222

Special Safety Features:

The Medtronic Model 5348 is designed to be reliable, simple to operate, and comfortable to hold. Safety features of the Model 5348 include:

- Self Tests
- Low Battery indicator
- Continuous operation during battery replacement (at 80 min-1 (ppm), 10 mA) for a minimum of 15 seconds;
- Reversible battery polarity;
- Protective covers over the controls and a rubber seal covering the heart wire receptacles;
- Safe "power-off" operation (Two buttons must be pressed simultaneously to turn the device off.);
- Cautionary label at the Rapid Atrial Pacing (RAP) controls;
- Detents (mechanical restrictions of dial movement) on the RATE and SENSITIVITY dials to highlight extremes or potentially hazardous settings;
- Safety cables (recessed pins);
- Runaway rate protection;
- Protection from defibrillation shock up to 360 watt-seconds;

CARDIAC PACEMAKER CONSUMABLES/ACCESSORIES START-UP

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6135009002139	Included with NSN	9 Volt Battery	MN1604	1	PG/12	\$10.70	\$10.70	Medtronics	N/A	N	2
	Included with NSN	Technical Literature	5348	1	EA	0	0	Medtronics	N/A	N	2
6515015328947	Included with NSN	Disposable Pouch	5409	1	PG/5	\$100.00	\$100.00	Medtronics	N/A	N	2
6515015119043	Included with NSN	Atrial Patient Cable	5433A	1	EA	\$125.00	\$125.00	Medtronics	N/A	N	2
6515015328926	Included with NSN	Ventricular Patient Cable	5433V	1	EA	\$125.00	\$125.00	Medtronics	N/A	N	2
6515015328929	Included with NSN	Heart wire Receptacle Seals	103603- 002	1	EA	\$2.40	\$2.40	Medtronics	N/A	N	2
6515015328944	Included with NSN	Carrying Case	119812- 001	1	EA	\$18.56	\$18.56	Medtronics	N/A	N	2

Temporary Pacing Electrodes

Nomenclature	Manufacturer	Model	NSN	Price	Availability
Balloon Flow-	Bard	008635P		\$118.75 each	Normally in
Assisted Bipolar	Electrophysiology			but sold in a	stock
Electrode Catheter,				package of 5	
4FR				each	
				extended list	
				price is \$593.75	

PATIENT WARMING SYSTEM, BAIR HUGGER TOC

AUGUSTINE MEDICAL BAIR HUGGER W/CASE, MODEL 505

Manufacturer's PHONE: (952) 947-1200, FAX (952) 947-1400

Website: http://www.arizant.com

AAC "L" ITEM NSN 6530-01-463-6823

UA's: 2267, N301, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$988.00

System Description: Forced-air warming unit providing safe, quiet and effective warming to patients.

Special Features: Portable, lightweight, unique snap-fit hose for easy blanket attachment. Easily attaches to an IV pole or bedrail.







BAIR HUGGER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	13"
	Width	10"
	Depth	11"
Weight		13.6 lbs
Operating Temperature	High 109.4° ± 5.4°F	
	Med 100.4° ± 5.4°F	
	Low 89.6° ± 5.4°F	
Air Flow	28 cu ft/min	
Storage Temperature	-40 to+122°F	
Humidity	15 to 90 %	
non-condensing		
Power Requirements	120 VAC/60 Hz	220 VAC/50 Hz
	9.5 amps, 1100 watts	4.5 amps 1000watts

BAIR HUGGER CONSUMABLES RESUPPLY

				·					Ch-1t		CONUS	
						Unit	Total		Shelf	Refrig	Ship Time,	
NSN	Notes	Nomenclature	PN	QTY	UI	Price	Price	MFG	months		weeks	NOTES
				`								
6532013875842	Included W/NSN	Blanket Torso	540	1	10/pg	\$122.98	\$122.98	Arizant Medical	N/A	N	2	Optional Item
		Blanket Full										
6532015224921	Included W/NSN	body surgical	610	1	10/pg	\$103.50	\$103.50	Arizant Medical	N/A	N	2	
		Blanket Surgical										
6532015265337	Included W/NSN	_	570	1	10/pg	\$102.00	\$102.00	Arizant Medical	N/A	N	2	
		Blanket lower										
6532013564851	OPTIONAL	body	525	1	15/pg	\$146.00	\$146.00	Arizant Medical	N/A	N	2	Optional Item
6532013884182	OPTIONAL	Blanket upper body	522	1	10pg	\$122.88	\$122.88	Arizant Medical	N/A	N	2	Optional Item
6515014636893	Included W/NSN	FILTER	90009	1	EA	\$39.00	\$39.00	Arizant Medical	N/A	N	2	

BAIR HUGGER ACCESSORIES PACKAGE

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
Included w/ NSN	Included W/NSN	HOSE	90003	1	EA	\$63.06	\$63.06	Augustine Medical		N	2	
6515 015242953	Included W/NSN	HOSE CLIP	90017	1	EA	\$3.90	\$3.90	Augustine Medical		N	2	
6515 015242947	Included W/NSN	SHEET CLIP	90063	1	EA	\$5.46	\$5.46	Augustine Medical		N	2	
7610015222841	Included W/NSN	Operator Manual	OPM			N\C	N\C	Augustine Medical		N	2	
7610015222837	Included W/NSN	Service Manual	OSM			N\C	N\C	Augustine Medical		N	2	
6530015237536	Included W/NSN	Hardened Case	505252	1	EA	\$1500.00	\$1500.00	Augustine Medical		N	2	

PULSE OXIMETER, FINGER TOC

NONIN MEDICAL INC. MODEL # 9500

Distributors' PHONE: (540) 662-8000 Fax (800) 590-0081

Website: http://www.nonin.com.

AAC "L" ITEM NSN 6515-01-466-0971

UA's: 2256, 2261, 2264, N308, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$350.00

Features: Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9500 Pulse Oximeter. Just place the Nonin 9500 pulse oximeter over your fingertip. It will <u>automatically turn itself on</u> and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9500 Pulse Oximeter off of your finger, it <u>automatically</u> turns itself off after 7 seconds, saving the battery life.

The pulse oximeter has a bright LED digital display that is easy to read. The Nonin 9500 comes with a handy lanyard wrist cord , 2 AAA Batteries and Instruction / Service Manual. The manufacturer backs up the quality and durability of this convenient device with a full <a href="https://doi.org/10.2007/nc.2007

- Pulse Rate Range: 18-300 BPM
- Up to 1600 Spot-Checks On One Set Of Batteries
- Proven Accuracy and Durability





CHARACTERISTICS

Dimensions	Height	1.3"
	Width	1.3"
	length	2.2"
Weight, ozs.		2 ozs
Operating Temperature		+32°F to +122°F
Operating Humidity		10% to 90 %
Storage Temperature		-22°F to +122°F
Storage Humidity		10% to 90%
Power Requirements	1.5 volt AAA Battery	18 hours continuous
		operation
Operating Altitude	Up to 30,000 feet	Up to 30,000 feet

PULSE OXIMETER ACCESSORIES/CONSUMABLES START-UP

NSN	Nomenclature	PN	ОТҮ	UI	Unit Price	Total Price	MFG	Shelf Life, month s	Refri g Y/N	CONU S Ship Time, weeks
	1.5 Volt AAA Size			6S/			Infusion			
		0040-0062			\$4.07	\$4.07	Dynamics	N	N	2

PUMP INTRAVENOUS INFUSION ALARIS TOC

ALARIS MEDSYSTEM 111 MODEL 2865B

Manufacturer's PHONE: (858) 458-6003, Fax (858) 458-7507

Website: http://www.alarismed.com

AAC "W" ITEM NSN 6515-01-381-4456 AAC "J" ITEM NSN 6515-01-486-4310

UA's: 0257, 2257, 2267, N308, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$5,704.51

System Description: Three independent infusion channels for the delivery of a wide range of fluids from various containers including syringes. Also provides a secondary delivery of intermittent medications, fluid challenges, or loading doses from each channel. Each line can deliver a separate drug, helping to eliminate incompatibility and drug sequencing concerns.

Advantages: 1. Rapid on-line titration w/o interrupting flow. 2. Configurable air-in-line thresholds, rate and volume ranges, occlusion alarm settings and KVO rates. 3. Titration of drugs in either dose or volumetric rate. 4. Streamlined PMCS and calibration processes.





Administrative Set Piggy Back (72213N) NSN 6515014164032 (100 PG)



Administrative Set Main Stream Line (28034) NSN 6515014348712 (50 PG)

IV PUMP PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	7.9"
	Width	6.0"
	Depth	2.1"
Weight		3.6 lbs
Internal Battery		Main Rechargeable Nicad Battery, Memory Backup
-		Non-rechargeable Lithium
Battery Capacity		Minimum 6 hours with all three channels at 125 ml/hr
Operating Temperature		
		50°F to 104°F
Humidity		90 %
Power Requirements		110/120VAC/60HZ
_		6 WATTS AC POWER

IV PUMP CONSUMABLES START-UP

NSN	Notes	Nomenclature	DNI	QTY	111	PART#		Total Price		Shelf Life, months	Refrig	CONUS Ship Time, weeks
6515014348712	Included W/NSN	Administration set			50PG	28034			ALARIS		N	2
6515014164032	Included W/NSN	Administration set		01	100PG				ALARIS		N	2
6515015320317	Optional Item	Fabric Case		01	EA	143553	\$188.50	\$188.50	CARDINAL HEALTH	Indef	N	2

IV PUMP CONSUMABLES RESUPPLY

NSN	Nomenclature	PN	QTY	UII	PART#	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig	CONUS Ship Time, weeks
6515014348712	Administration set		01	50PG		\$399.11	\$399.11	ALARIS MEDICAL		N	2
6515014164032	Administration set		01	100P		\$184.12	\$184.12	ALARIS MEDICAL	Indef	N	2

PUMP INTRAVENOUS INFUSION TOC

INFUSION DYNAMICS POWER INFUSUER MINIRAPID IV MODEL # M100B-3A

Manufacturer's Phone: (610) 941-0136 FAX (610) 629-6000

Website: http://www.infusiondynamics.com

AAC "W" ITEM NSN 6515-01-485-4362 AAC "J" ITEM NSN 6515-01-498-2252

UA's: 2256, 2257, 2261, 2264, 2267, 3256, 3264, N308


USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$1,855.72

Features: The Power Infuser® is the first portable electronic infusion pump designed explicitly for crystalloid and colloid IV FLUID MANAGEMENT. Small, durable, and easy to use; it can be used at the scene of an accident, during transport, or in the hospital.

Controlled Delivery Improve adherence to protocols; ensure adequate, but not excessive, hydration whether restoring intravascular volume during circulatory compromise or rapidly infusing a bolus during hemodynamic assessment, the Power Infuser allows unprecedented control of fluid administration. Adjust flow rates from 0.2 to 6 liters per hour or activate the automated 250cc bolus feature.

Occlusion Detection Don't let a blown IV site or kinked line go unnoticed. With a unique downstream occlusion sensor, the Power Infuser responds to excessive resistance in the fluid path by switching to standby and activating an alarm. Head off complications that could arise from an interruption in flow.

Patient Management Provide life-saving fluid resuscitation when a lack of personnel or room to elevate the bag impedes treatment. Avoid accidental infusion of air with unique membranes built into each crystalloid/colloid pump cartridge. This device is valuable when battlefield injuries occur, during mass casualty events or for critical care transport.



	Part Number	Description	Unit
	0040-0013	Power Infuser® model M100B-3A. Includes bolus setting and uses standard AAA batteries.	each
	0040-0050 6515-01-466-1488	Crystalloid/colloid pump cartridges for the Power Infuser. Includes 18in pump-to-patient tubing set. Sterile, single-use only.	box of 10
P	0040-0040	AC/DC power adapter for the Power Infuser. Wall-mounted, US-type 120VAC plug.	each
\$	0040-0070 6515-01-470-9907	IV pole clamp for the Power Infuser. Includes IV bag holder and adjusts for horizontal or vertical mounting.	each

NSN	NOTES	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refri g Y/N	CONU S Ship Time, weeks
6515014661488		Cartridge Pump Sterile Crystalloid	02	10/ BX/ PG	0040-0050	\$295.00	\$590.00	Infusion Dynamics	indef	N	2
6515014709907	Included W/NSN	- · · I	01	EA	0040-0070	\$75.00	\$75.00	Infusion Dynamics	Indef	N	2
6515014661481		Power Adapter 120 volt AC Wall Mount	01	EA	0040-0040	\$45.00	\$45.00	Infusion Dynamics	Indef	N	2
6515014981114	Included W/NSN	Batteries Alkaline SZ AAA, 6S	01	PG	0040-0062	\$4.07	\$4.07	Infusion Dynamics.	Indef	N	2

IV PUMP CONSUMABLES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014661488	Cartridge Pump Sterile Crystalloid		10/ BX	0040-0050	\$295.00	\$590.00	Infusion Dynamics.	Indef	N	2
6515014981114	Batteries Alkaline SZ AAA, 6S	01		0040-0062	\$4.07	\$4.07	Infusion Dynamics	Indef	N	2

REFRIGERATOR-FREEZER MECHANICAL FIELD WARD TOC

MARVEL INDUSTRIES DIV OF NORTHLAND CORP MODEL # 6CRF

Manufacturer's PHONE: (765) 962-2521 FAX (765)-962-2493

WEB SITE: www.marvelindustries.com

AAC "W" ITEM NSN 4110-01-180-3420 AAC "J" ITEM NSN 4110-01-425-8009

UA's: N302, N308, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403


UNIT PRICE: \$660.60

Description: Six cubic foot under counter refrigerator/freezer fits easily under lab benches and casework. Forced air ventilation eliminates need for clearance space in built-in applications. Manual defrost, 5.3 cubic foot refrigerator capacity and .7 cubic foot freezer capacity. Dual voltage capable, carrying handles and olive drab paint scheme.



Characteristics

Overall Dimensions		
	Height	34"
	Width	23 7/8"
	Depth	24"
Weight		120 lbs
Cubic Ft		17.2
Refrigerant		Uses R-134A Refrigerant
Power Supply		Dual voltage120/220 VAC
		50/60 Hz 320 Watts, 1200
		Watt surge



REFRIGERATOR-FREEZER OPTIONAL ACCESSORY

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
	OPTIONAL	Temperature						MARVEL			
6685015296385	ITEM	Monitor/Alarm	TMAF	1	EA	\$218.00	\$218.00	INDUSTRIES	N/A	N	2

COMPANY IS OUT OF BUSINESS ITEMS ARE STILL IN STOCK

SINK UNIT SURGICAL SCRUB TOC

RAN-PAIGE CO INC MODEL 0200-96-C-8509

AAC "W" ITEM NSN 6530-01-431-9005 AAC "J" ITEM NSN 6530-01-429-6715

UA's: N301, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$946.74

Special Features: Portable and light weight. Consists of a hollow tubular frame support, a plastic polypropylene basin, a pump and a heater, a foot pedal and associated tubing and electrical components. Electrical and water are activated by the foot pedal. The water heater is an encapsulated inline type 1200 to 1300 Watts. The maximum water temperature is 125 degrees. This includes a reusable container.



CHARACTERISTICS

Dimensions	Height	N/A
	Width	N/A
	Depth	N/A
Weight	59 lbs	
Cubic ft	6.16	
Power Requirements	115/230 VAC, 50/60 Hz	
	1300 Watts	

SUCTION APPARATUS SURGICAL TOC

IMPACT INSTRUMENTATION INC MODEL # 326M

Manufacturer's PHONE: (973)-882-1212 FAX (973)-882-4993

Website: http://www.impactii.com

AAC "W" ITEM NSN 6515-01-460-9174 AAC "J" ITEM NSN 6515-01-435-0050

UA's: N301, N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$1,600.00

System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit. Built around Impact's ultra-lite[®] vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power, and internal rechargeable batteries provide power for several hours of transport or emergency backup.



IMPACT 326M



IMPACT 326M PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	11.5"
	Width	9.5"
	Depth	4.87"
Weight	Analyzer	30 lbs, Unit 12 lbs
Operating		
Temperature		-4° F to 120° F
Humidity	Tested to level required	94±4%RH, 85° F±3.6° F
	for Air Worthiness	(29.5°C±2°C) f/ 4 hrs.
Power Requirements		115/230 V AC, 50-400 HZ,
		100 Watts, 2.5 Amps
		Steady State

IMPACT 326M CONSUMABLES & ACCESSORIES (START-UP)

NSN	NOTES	Nomenclature	PN	ОТУ	III	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
Nan	HOTES	Nomenciature	FIN	QII	OI	Ollit Frice	Total File	MING	monuis	1/11	Weeks
6515015096877	Included W/NSN	Assembly Auto Power Cable	708-0326-01	1	EA	\$20.21	\$20.21	IMPACT INSTRUMENTS	N/A	N	2
6515015117035	Included W/NSN	Suction Hose 6 ft. long, clear, sterile	820-0018-00	1	EA	\$3.36	\$3.36	IMPACT INSTRUMENTS	N/A	N	2
6515015117034	Included W/NSN	Hose, Clear, PVC 18" Long	540-0055-00	2	EA	\$2.16	\$4.22	IMPACT INSTRUMENTS	N/A	N	2
6515015117023	Included W/NSN	Hose, Clear, PVC, 1' Long	540-0068-00	1	EA	\$0.63	\$0.63	IMPACT INSTRUMENTS	N/A	N	2
6515015117017	Included W/NSN	Hose, Clear, PVC, 2' Long	540-0051-00	2	EA	\$2.51	\$4.02	IMPACT INSTRUMENTS	N/A	N	2
6515015043306	Included W/NSN	AC/DC Power Supply	703-0326-06	1	EA	\$232.88	\$232.88	IMPACT INSTRUMENTS	N/A	N	2
6515015098638	Included W/NSN	Universal Canister Bracket	334-0030-00	2	EA	\$27.77	\$55.54	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	Included W/NSN	Collection Canisters, 1000cc Reusable	703-0326-07	2	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515015096967	Included W/NSN	Padded Case., 2 ea. Straps, Velcro	402-0017-00	1	EA	\$112.50	\$112.50	IMPACT INSTRUMENTS	N/A	N	2
6515015097331	Included W/NSN	Straps, Velcro	334-0020-00	2	EA	\$27.27	\$54.54	IMPACT INSTRUMENTS	N/A	N	2
6515015096977	Included W/NSN	Carry-All Case with Label	703-0326-16	1	EA	\$94.50	\$94.50	IMPACT INSTRUMENTS	N/A	N	2
6515011942187	Included W/NSN	Hydrophobic/Bacteriostatic Filters	465-0005-00	2	EA	\$9.45	\$18.90	IMPACT INSTRUMENTS	N/A	N	2
	Included W/NSN	Manual, Operation/Service	906-0326-03	2	EA	\$18.00	\$36.00	IMPACT INSTRUMENTS	N/A	N	2

IMPACT 326M CONSUMABLES & ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	ОТҮ	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
TIDIT	Tromonolature	111	Q11	01	THEC	11100	OWENS AND	months	1/11	Weeks
6515014975761	TUBING, SUCTION	358388266148	12	EA	\$4.47	\$53.64	MINOR	N/A	N	2
6515011942187	FILTER DISPOSIBLE	465-0005-00	2	EA	\$8.28	\$49.68	IMPACT INSTRUMENTS	N/A	N	2
6515015039498	14FR. SUCTION CATHETER	820-0004-00	6	EA	\$1.58	\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515015039501	18FR. SUCTION CATHETER	820-0005-00	6	EA	\$1.58	\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515014493193	1200CC DISPOSABLE JAR	410-0004-10	1	10 PK	\$36.90	\$36.90	IMPACT INSTRUMENTS	N/A	N	2
6515014862077	CANISTER ASSY SUCT SURG PLASTIC 2000CC	494410	2	48/EA	\$205.00	\$410.00	MEDLINE INDUSTRIES INC	N/A	N	2
6515014441638	SUCTION AND IRRIGATION ASSEMBLY SURGICAL	207-559	6	PG	\$335.00	\$2,010.00	STRYKER CORP	N/A	N	2
6515012774772	TUBING SURGICAL 100FT	SIA8-230201	1	RO	\$11.00	\$11.00	Emery Medical Supply	N/A	N	2
6515015117034	Hose, Clear, PVC 18" Long	540-0055-00	2	EA	\$2.16	\$4.22	IMPACT INSTRUMENTS	N/A	N	2
6515015117023	Hose, Clear, PVC, 1' Long	540-0068-00	1	EA	\$0.63	\$0.63	IMPACT INSTRUMENTS	N/A	N	2
6515015117017	Hose, Clear, PVC, 2' Long	540-0051-00	2	EA	\$2.51	\$4.02	IMPACT INSTRUMENTS	N/A	N	2
6515015043306	AC/DC Power Supply	703-0326-06	1	EA	\$232.88	\$232.88	IMPACT INSTRUMENTS	N/A	N	2
6515015098638	Universal Canister Bracket	334-0030-00	2	EA	\$27.77	\$55.54	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	Collection Canisters, 1000cc Reusable	703-0326-07	2	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515011942187	Hydrophobic/Bacteriostatic Filters	465-0005-00	2	EA	\$9.45	\$18.90	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	REUSABLE COLLECTION JAR ASSEMBLY	703-0326-07	1	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515015117035	TUBE SUCTION SURGICAL 6 ft	820-0018-00	12	EA	\$2.70	\$2.70	IMPACT INSTRUMENTS	N/A	N	2

THERMOMETER KIT, CLINICAL W/CASE TOC

WELCH ALLYN INCORPORATED MODEL#: 01692-MC

Manufacturer's PHONE: (315) 685-4560 FAX (315) 685-3361

Website: http://www.welchallyn.com

AAC "L" ITEM NSN 6515-01-523-9935

UA's: N308, N309, N310, N311, 4714

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$639.00


System Description: The digital thermometer is battery operated with interchangeable oral and rectal probes; includes probe case, four (4) boxes of probe covers, with twentyfive (25) per box. The thermometer can be mounted to the wall. There are three (3) extra AA batteries, and it comes in a case with inserts.

Special Features:

RECTAL

PROBES

- 1. Provides 4-second oral, 10-second pediatric axillary temperature for children seventeen (17) years and younger, 10-second rectal, and 15-second axillary temperatures (for eighteen (18) years and older).
- 2. Monitor mode capability for measuring 3-5 minute temperatures
- 3. Used probe covers may be ejected






4" Rectal Probe and Well Kit Part No. 02892-000



4" Oral Probe and Well Kit Part No. 02893-000



Sure Temp Plus 692 Thermometer Part No. 01692-200 NSN 6515-01-525-7595

CHARACTERISTICS

Dimensions of Case	Length	11"
	Height	5"
	Width	7"
Weight	Lbs	1.9
Cube		.5

THERMOMETER, CLINICAL KIT CONSUMABLES/ACCESSORIES START-UP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	INCLUDED	a	40000			#10 2 00	* 102.00	WELCH	27/1		
6530015225307	W/NSN	Soft Case	49099	1	EA	\$193.00	\$193.00	ALLYN	N/A	N	2
6515015257595	INCLUDED W/NSN	SureTemp Plus 692 Thermometer w/oral probe and well	01692-200	1	EA	\$215.00	\$215.00	WELCH ALLYN	N/A	N	2
6515015324146	INCLUDED W/NSN	4" Rectal Probe and Well	02892-000	1	EA	\$54.45	\$54.45	WELCH ALLYN	N/A	N	2
6515015324116	INCLUDED W/NSN	Holder for spare Probe and Well	21330-000	1	EA	\$10.83	\$10.83	WELCH ALLYN	N/A	N	2
See Resupply	INCLUDED W/NSN	3 each Spare Alkaline Batteries (AA)	53009-000	1	EA	\$3.00	\$3.00	WELCH ALLYN	N/A	N	2
6515012031332	INCLUDED W/NSN	Cover Electronic Thermometer Probe Plastic Disposables (1,000s)	05031-101	1	40BX OF 25's		\$21.00	WELCH ALLYN	N/A	N	2

THERMOMETER, CLINICAL KIT CONSUMABLES/ACCESSORIES RESUPPLY

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	Cover Electronic Thermometer Probe Plastic			40BX OF			WELCH			
6515012031332	Disposables (1,000s)	05031-101	1	25's	\$21.00	\$21.00	ALLYN	N/A	N	2
6135009857845	Alkaline Batteries (AA) (24s)	W-B-101 CL12	1	EA	\$7.52	\$7.52	GSA	N/A	N	2
6515015324146	4" Rectal Probe and Well	02892-000	1	EA	\$54.45	\$54.45	WELCH ALLYN	N/A	N	2
6515015331281	4" Oral Probe and Well	02893-000	1	EA	\$54.45	\$54.45	WELCH ALLYN	N/A	N	2

ULTRASONIC UNIT BLOOD FLOW DETECTION DOPPLER TOC

COOPER SURGICAL, INCORPORATED MODEL # D8

Manufacturer's PHONE: (203) 601-5200 Fax (203) 601-1007

Website: www.coopersurgical.com

AAC "W" ITEM NSN 6515-01-192-9456 AAC "J" ITEM NSN 6515-01-293-5578

UA's: N301, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$2,995.00

Features: Detect air emboli during surgery where significant gravitation gradient exists between the heart and the operating site. Assess vessel potency or monitor and evaluate blood flow at surgical site. Obtain systolic blood pressure measurements during surgery. Flexible design allows for one Doppler and multiple probe frequencies.



CHARACTERISTICS

Dimensions	Height	25.4 cm
	Width	25.4 cm
	Length	12.2 cm
Weight		12 lbs
Operating Temperature		+10C -+ 40C
Operating Humidity		30% - 70%
Storage Temperature		+10C - +40C
Storage Humidity		30% - 70%
Power Requirements		120/130VAC 50/60 HZ

11.5 cm Pencil Frequency: 8 MHz



Pencil Style Probe

ULTRASONIC UNIT BLOOD FLOW DETECTION ACCESSORY

						Total		Shelf Life,		CONU S Ship Time,
NSN	Nomenclature	PN	QTY	UI	Unit Price	Price	MFG	months	Y/N	weeks
6515014916202	Model P82 Pencil Style Probe	101-0013-010	1	EA	\$1,095.00	\$1,095.00	Cooper Surgical Inc.	Indef	N	3

ULTRASOUND SYSTEM, PORTABLE 180 SONOSITE TOC

SONOSITE, INC MODEL 180Plus

Manufacturer's PHONE: (425) 951-1243 FAX (801) 751-1135 Website: http://www.sonosite.com/products_overview.html

AAC "W" ITEM NSN 6525-01-429-7499 AAC "J" ITEM NSN 6525-01-503-7170

UA's: N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 PRICE: 36,826.69

System Description: Lightweight portable diagnostic ultrasound device used to assist in the detection of Rapid triage and assessment of trauma (FAST), visualization of abdominal fluid collection, evaluation of pericardial or pleural effusions and tamponade, immediate assessment of pelvic pain and abnormal uterine bleeding, rapid evaluation of acute abdominal pain (kidney, cholelithiasis), and easy emergency obstetric exams (IUP, fetal viability)

Operator Familiarization: CD-ROM is available.

CLINICAL APPLICATIONS

Abdominal

Vascular

Breast

Obstetrical

Pediatric/Neonatal

Intraoperative Procedures

Interventional Procedures

Cardiac

Prostate

Small Parts


Gynecological


Musculoskeletal



ULTRASOUND PHYSICAL AND ENVIRONMENTAL SPECIFICATION

Dimensions	Height	13.3"
	Width	7.6"
	Depth	2.5"
Cubic Feet		0.14cuft
Weight		5.4 lbs
Power Requirements		12 VDC or 120 VAC
Battery Life		1.5hrs – 4.0hrs fully charged
Battery characteristics		Lithium Ion





MENU SELECT CONTROLS FIGURE 1




NEAR/FAR/GAIN ADJUSTORS FIGURE 2




MENU, DEPTH AND ZOOM FIGURE 3



TRACKBALL FIGURE 4




PATIENT BUTTON FIGURE 5



ARROW AND FREEZE KEYS FIGURE 6



LCD CONTROLS FIGURE 7



Number	Feature	Number	Feature
1	power switch, located on the rear of the system handle	10	battery charge indicators
2	near, affects gain of shallow echoes	11	LCD (liquid crystal display) brightness control
3	far, affects gain of deeper echoes	12	LCD contrast control
4	gain, affects overall gain	13	LCD
5	menu select controls	14	Print/VCR or Print key
6	Menu, Depth, and Zoom	15	Cine Arrow keys and Freeze key
7	trackball	16	mode controls
8	Patient	17	battery release
9	Function key		

Package Order for Combat Support Hospital only

Hand-Carried Ultrasound Systems:		PART NO.	PRICE	QTY
Transducers (C1 products):	NOTE: Transducers on this price list have the current version software and the existing customer system may require an update to ensure transducer compatibility.			

SonoSite 180 PLUS & ELITE Fourth Generation (1.99)	Portable ultrasound system includes: display module, 2D Grayscale, color power Doppler (CPD) and directional color power Doppler (DCPD) capability, M-mode, PC Direct connectivity capability (w/ SiteLink & PC Direct Serial Cable ordered separately). Also includes battery, universal AC power supply, external video and printer cables, ultrasound gel, and user guides. 180PLUS Does not support Continuous Wave (CW) Doppler.	L02464	\$8036.00	1
	Does not support Continuous wave (CW) Doppier.			1
C15 e / 4–2, micro- curved array transducer INCLUDED	15–mm, broadband (4 - 2 MHz) micro-curved array for thoracic and abdominal applications. Provides 2D Grayscale, CPD or DCPD (depending on exam type), CW, PW, M-mode, and ERH. 5.5 ft (1.7m) cable and pinless connector. Not compatible with non-1.99 systems.	P02461	\$8610.00	1
C60 / 5–2, curved array transducer INCLUDED	60-mm, broadband (5 - 2 MHz) curved array for abdominal, obstetric, and gynecologic applications. Provides 2D Grayscale, CPD, DCPD, PW, M-mode, and THI. 5 ft (1.5 m) cable and pinless connector. Compatible with biopsy guide part number P01882. Some early first generation SonoSite systems (1.5X with ARM < 02.80.006.014) require system software upgrade module (no charge) to ensure compatibility. Contact SonoSite Customer Support prior to ordering for additional details.	P02115	\$4510.00	1
L38 / 10-5, linear array transducer INCLUDED	38-mm, broadband (10 - 5MHz) linear array for breast, small parts, vascular, and musculoskeletal applications. Provides 2D Grayscale, CPD, PW, and M-mode. 5.5 ft. (1.7 m) cable and pinless connector. Compatible with biopsy guide part number P01300. Not compatible with 1 st generation systems.	P04101	\$8610.00	1
ICT / 7–4, intracavitary array transducer INCLUDED	11-mm, broadband (7 - 4 MHz) intracavitary array for gynecologic, obstetric and urologic applications. Provides 2D Grayscale, CPD, PW, and M-mode. 5 ft (1.5m) cable and pinless connector. Compatible with biopsy guide part number P01869. Not compatible with 1 st generation systems.	P02450	\$4510.00	1
Extra Battery – PLUS/ELITE INCLUDED	11.1 volt, 3.0 amp-hour rechargeable lithium-ion battery.	P00049	\$324	1

Sonosite Military Hard Case INCLUDED		P03808	\$820.00	
SitePack® protective carrier pack OPTIONAL	Backpack-style carrying case for easy transport of the SonoSite system, three transducers, accessories and supplies.	P00553	\$135	1
SiteCharge® dual battery charger INCLUDED	Desktop charger used to recharge two system batteries at a time. Recommended for heavy battery use environments.	L00552	\$492	1
SiteLink Image Manager INCLUDED	Software package to enable image download, in full resolution .bmp format, from SonoSite systems to a Windows®-based PC. CD-ROM includes: SiteLink software, Irfanview image viewer program, and help files. Null modem cable also included. Requires use of SiteStand - or PC direct serial cable for PC interface w/ the SonoSite system.	P01370	\$820.00	1
PC Direct Serial Cable INCLUDED	Connects system to a PC for downloading images via SiteLink Image Manager. Requires P01370 version of SiteLink Image Manager.	P02046	\$82.00	1

ACCESSORIES/PERIPHERALS LIST

Optional Feature Upgrade OPTIONAL	Factory upgrade of a SonoSite system, after initial purchase of any or all optional features purchased after the customer has taken delivery of the system. This fee is in addition to the cost of the features.	P02280	\$1,000
OT TIOTHIE	This fee is in addition to the east of the features.		
HST / 10-5, linear array	25-mm, broadband (10 - 5MHz) linear array for		
hockey-stick	intraoperative and superficial vascular applications.		
	Provides 2D, PW and color power Doppler modes.		
OPTIONAL	8 ft. (2.1 m) cable and pinless connector.		
	Compatible with 180PLUS and SonoHeart ELITE		
	systems.		
	C1.99 – For use with C1.99 systems when ordered with the system.	P02954	\$12,500
	C1.9 – Upgrades C1.9 generation software to C1.99 generation software. Compatible with C1.9 and	L02954	\$12,500
	C1.99 hardware systems. Use this part number when		

	HST/10-5 is ordered separately. This part number includes C1.99 user guides.		
Peripherals – Medical Grade	OPTIONAL ITEMS		
(C1 products):		200777	44.7.10
Sony PVM14M2-MDU External color monitor OPTIONAL	Medical grade, high resolution, 14" CRT with interface cables. Worldwide power (100V-240V, 50/60HZ) and video (NTSC/PAL). North American power cord supplied by manufacturer.	P00555	\$1,560
OFTIONAL	power cord supplied by mandracturer.		
Sony UP895 MD B&W Video printer	Medical grade, monochrome video printer with interface cables. Worldwide power (100V-240V, 50/60Hz) and video (NTSC/PAL). North American power cord supplied by manufacturer.	P01114	\$1,600
Sony UP 21MD Color video printer OPTIONAL	Medical grade, color video printer with interface cables. Worldwide power (100V-240V, 50/60HZ) and video (NTSC/PAL). North American power cord supplied by manufacturer.	P02755	\$2,600
Sony SVO 9500 MD OPTIONAL	(Recommended with the SiteStand with the SonoHeart ELITE. VCR bracket must be ordered for this configuration). Medical grade videocassette recorder with interface cables. NTSC video format only. AC power 120V, 60Hz. North American power cord supplied by manufacturer.	P00796	\$3,250
Peripherals – Non- Medical (Commercial) Grade:	OPTIONAL ITEMS		
Sony GV-D800 Video Walkman VCR OPTIONAL	Portable, Digital8® recorder with 4" color LCD active matrix screen. Worldwide power (100V-240V, 50/60HZ). NTSC video signal. North American power cord supplied by manufacturer.	L30200	\$1,600
Sony NP-F960 InfoLithium Battery OPTIONAL	High capacity Lithium-Ion battery to power GV-D800 Digital8® recorder. Provides remaining battery life status accurate to + or – one minute.	P01126	\$150
Accessories C1.9 – C1.99:			
C:4aC4an d®	Engage and a same Composite and a same in	1.02517	\$2.250
SiteStand® mobile docking station	Ergonomic stand secures SonoSite system, provides mobile work platform, recharges internal battery, connects to external printer and/or monitors and	L02517	\$2,250
OPTIONAL	allows image download to a Windows®-based PC using SiteLink Image Manager (ordered separately).		

	Supports audio out for SonoSite System (C1.99). <u>Includes accessory basket</u> to hold gel, wipes and additional transducers. Complete with power supply.		
15" Flat Panel Display for SiteStand OPTIONAL	Auxiliary LCD monitor for the SiteStand mobile docking station. Worldwide power (100V – 240V, 50/60 Hz) and video (NTSC/PAL). Includes power supply, cabling, and mounting arm to connect to SiteStand.	P01909	\$3,000
VCR Bracket for SiteStand OPTIONAL	Mounts to the Sony SVO 9500 MD VCR to the SiteStand, includes cables, mounting hardware and instructions.	P02488	\$100
Basket for original SiteStand P00375 OPTIONAL	Accessories basket for SiteStand mobile docking station. Holds common ultrasound accessories such as gel, wipes, and additional transducers. Has dedicated ICT storage.	P01799	\$135
CRT Stand (4-week lead time /non- stock item) OPTIONAL	The CRT Stand is designed to provide a mobile work platform for a SonoSite system with a Sony PVM14M2-MDU medical grade color CRT monitor. Complete with wire storage basket, printer mounting bracket and user guide.	P01881	\$1,000
Basic Stand OPTIONAL	The Basic Stand secures a system and two transducers, providing a mobile work platform. Complete with wire storage basket, printer mounting bracket and user guide.	P01708	\$450
SiteLink Image Manager INCLUDED W/UNIT OPTIONAL FOR FST	Software package to enable image download, in full resolution .bmp format, from SonoSite systems to a Windows®-based PC. CD-ROM includes: SiteLink software, Irfanview image viewer program, and help files. Null modem cable also included. Requires use of SiteStand - or PC direct serial cable for PC interface w/ the SonoSite system.	P01370	\$820.00
PC Direct Serial Cable INCLUDED W/UNIT OPTIONAL FOR FST	Connects system to a PC for downloading images via SiteLink Image Manager. Requires P01370 version of SiteLink Image Manager.	P02046	\$82.00

180 PLUS RESUPPLY CONSUMABLES

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig	CONUS Ship Time, weeks
6515015046163		610- 214	1	50 PG	\$156.00		Civco Medical Instruments	N	N	2
	Transmission Gel Ultrasound0.25 liter	01-08	1	12s/PG	\$31.84	\$31.84	Parker Labs Inc.	N	N	2

3.5 x 20cm Latex Covers

These latex transducer covers are individually packaged with colored elastic bands in easy-to-open perforated bags. Conveniently packaged in a compact box, the covers offer an effective means to protect equipment, patients and professionals from the risks of cross-contamination.

Ref.#	Product Description	Qty.
610-214	Sterile 3.5 \times 20cm (1.4" \times 7.9") latex cover	50
610-010	Non-sterile 3.5 \times 20cm (1.4" \times 7.9") latex cover	50



180 PLUS ACCESSORY START-UP

											CONUS
						Unit	Total		Shelf Life,	Refrig	Ship Time,
NSN	NOTES	Nomenclature	PN	QTY	UI	Price	Price	MFG	months	Y/N	weeks
	Included		111	Q11	O1	11100	THEC	WI G	months	1/11	Weeks
		SONOSITE 180 PLUS	P02522	1	EA	\$8036.00	\$8036.00	SONOSITE	N	N	3
	Included	C15 e / 4-2, micro-curved array									
6525015023728	W/NSN	transducer	P02461	1	EA	\$8610.00	\$8610.00	SONOSITE	N	N	3
		C60 / 5–2, curved array									
6525015023739			P02115	1	EA	\$4510.00	\$4510.00	SONOSITE	N	N	3
		L38 / 10-5, linear array			L.						_
6525015036742			P04101	1	EA	\$8610.00	\$8610.00	SONOSITE	N	N	3
CE25015022720		ICT / 7–4, intracavitary array	D02450	1	EA	¢4510.00	¢4510.00	CONOCITE	NT.	NT	2
6525015023739	Included		P02450	1	EA	\$4510.00	\$4510.00	SONOSITE	N	N	3
652501/1983603		Battery – PLUS/ELITE	P00049	2	EA	\$324.00	\$648.00	SONOSITE	N	N	3
0323014703003	W/11011	Battery - TEOS/EETTE	1 00047		LA	Ψ324.00	φ0+0.00	SONOSITE	11	11	
	Included	S:4-Ch									
6130014902678	11/11011	SiteChargedual battery charger	L00552	1	EA	\$492.00	\$492.00	SONOSITE	N	N	3
	Included				L.						_
		Sonosite Military Hard Case	L03808	1	EA	\$820.00	\$820.00	SONOSITE	N	N	3
		Transmission Gel	01.00		F.4			Parker Labs	N	N.T	2
See Resupply	W/NSN	Ultrasound0.25 liter	01-08	1	EA			Inc.	N	N	3
	Included	C1.99 PLUS and ELITE ultrasound system									
7610015436723			P02913	2	EA	\$28.70	\$57.40	SONOSITE	N	N	3
		Sonosite Ultrasound System	102710			Ψ20.70	φο / σ	BOTTOBITE		-11	
7610015437003			P02614	2	EA	\$28.70	\$57.40	SONOSITE	N	N	3
		Sonosite Ultrasound System									
		Quick Reference Guide	P02813	1	EA	\$20.50	\$20.50	SONOSITE	N	N	3
		Sonosite Ultrasound System									
		User Guide Supplement	P05020	1	EA			SONOSITE	N	N	3
		Sonosite Imaging Accessory									
	W/NSN			1	EA			SONOSITE	N	N	3
Not Sold	Included	Medical Ultrasound Safety	DOOGOO	1	EA			SONOSITE	N	N	3
	W/NSN Included		P00809	1	EA			SONOSITE	IN	IN	3
			P00848	2	EA	\$16.40	\$32.80	SONOSITE	N	N	3
		Power Supply, 85-264 VAC,	1 00040		Lit	φ10.40	ψ32.00	BONOBITE	11	11	
		50/60 Hz, 16VDC 45 Watts	L00538	2	EA	\$77.90	\$155.80	SONOSITE	N	N	3
	Included										
		Cable Printer, Control	P00537	1	EA	\$24.60	\$24.60	SONOSITE	N	N	3
NO NSN	Included										
		Cable, RCA/BNC, Video	P00536	1	EA	\$28.70	\$28.70	SONOSITE	N	N	3
	Included		L								
•		Sitelink Image Manager CD	P01370	1	EA	\$820.00	\$820.00	SONOSITE	N	N	3
NO NSN	Included		D0 40 40		F.4	¢1.640.00	¢1.640.00	CONOCITE			2
_		Sitelink DICOM (1.0)	P04049	1	EA	\$1640.00	\$1640.00	SONOSITE	N	N	3
NO NSN	Included		P01568	1	EA	\$9.84	\$9.84	SONOSITE	N	N	2
Required	Included		FU1308	1	EA	φ 7.04	ゆ 岁.04	SONOSITE	N	N	3
6515015084541		Cable, Serial, PC Direct	P02046	1	EA	\$82.00	\$82.00	SONOSITE	N	N	3
0313013004341	11/11011	Caole, Bellai, I C Direct	102040	1	LA	ψ02.00	Ψ02.00	POMOBILE	1.4	14	J



ULTRASOUND SYSTEM IN HARD CASE NSN 6525-01-523-0664

A full line of broadband transducers

SonoSite manufactures a variety of high-quality broadband transducers. They are lightweight, ergonomically designed for optimal user comfort, rugged and feature rapid, pinless connectors.



L38/10-5 38-mm broadband linear array

Clinical Applications

- Small parts imaging: thyroid, testicular, and musculoskeletal
- Breast
- Vascular

Ultrasound guided procedures:

Line placements, biopsies, drainage procedures

Imaging Modes:

2D, M-mode, Color Power Doppler, Pulsed Wave Doppler (option)

Physical Characteristics

Frequency: broadband 10-5 MHz

Maximum Depth: 7 cm

Maximum Field of View: 38 mm

Aperture: 38 mm Biopsy guide:

for 14-23 gauge needles with depth range from 0.7-3.4 cm

C15/4-2

15-mm broadband array transducer

Clinical Applications

- Adult cardiac
- General-purpose abdominal
- Trauma Assessment (F.A.S.T. exam)
- General Imaging: abdominal and thoracic



Imaging Modes:

2D, M-mode, Color Power Doppler, PowerMap Directional Color Power Doppler in cardiac settings, Pulsed Wave Doppler (option), Tissue Harmonic Imaging (option)

Physical Characteristics

Frequency: broadband 4-2 MHz Maximum Depth: 24.6 cm Maximum Field of View: 101°

C6o/5-2 6o-mm broadband curved array

Clinical Applications

- General-purpose abdominal
- Obstetric
- Gynecologic

Imaging Modes:

2D, M-mode, Color Power Doppler, PowerMap Directional Color Power Doppler, Pulsed Wave Doppler (option), Tissue Harmonic Imaging (option)

Physical Characteristics

Frequency: broadband 5-2 MHz Maximum Depth: 22 cm Maximum Field of View: 57°

ICT/7-4 11-mm broadband intercavitary array

Clinical Applications

- Gynecologic
- Obstetric
- Urologic

Ultrasound Guided Procedures:

Tissue sample retreival

Imaging Modes:

2D, M-mode, Color Power Doppler, Pulsed Wave Doppler, Pulsed Wave Doppler (optional)

Physical Characteristics

Frequency: broadband 7-4 MHz Maximum Depth: 10.4 cm Maximum Field of View: 135°

Biopsy Guide:

for 16-18 gauge needles with depth range from 0.5-7.0 cm



IMPACT INSTRUMENTATION INC MODEL 754M

Manufacturer's Phone: (973) 882-1212, FAX: (973) 882-4993

Website: http://www.impactii.com

AAC "W" ITEM NSN 6530-01-431-5146 AAC "J" ITEM NSN-- 6530-01-464-0267

UA's: 2257, 2267, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$10,732.56

Operator Familiarization: CD-ROM is available.




ADVANTAGES

- 1. Interactive Demo/Teaching Mode.
- 2. Operation Accomplished in as few as 3 steps.
- 3. Full altitude compensation.
- 4. Internal PEEP.
- **5. On-board emergency backup ventilator.**
- **6. Automatic LCD backup lighting.**

754M PORTABLE VENTILATOR SPECIFICATIONS

75-1011 ONTIBEE VENTILITION OF ECHTICATION									
Dimensions	Height	11.5"							
	Width	8.87"							
	Depth	4.5"							
Weight		13 lbs							
Operating									
Temperature		-13°F-120° F							
Power Requirements	Battery, 6VDC,	115/230VAC=/- 10%,	16-30Volts (DC-DC						
	5 Amp Hours	50-400HZ 100 WATTS	Converter), neg						
			ground						



IMPACT 754M ACCESSORY/CONSUMABLES / START-UP

NSN	INCL.W NSN	Nomenclature	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
See Resupply	See Resupply	VENTILATOR CIRCUIT DISPOSABLE/SINGLE PATIENT USE		EA	820-0067-00			IMPACT INST	Indef	N	2
4720013829231	INCL.W/NSN	HIGH PRESSURE OXYGEN HOSE	01	EA	825-0002-00	\$15.28	\$15.28	IMPACT INST	Indef	N	2
6530015193018	INCL.W/NSN	HIGH PRESSURE AIR HOSE	01	EA	825-0004-00	\$25.63	\$25.63	IMPACT INST	Indef	N	2
6130014688360	INCL.W/NSN	UNIVERSAL AC POWER SUPPLY	01	EA	703-0754-09	\$625.50	\$625.50	IMPACT INST	Indef	N	2
6530015192814	INCL.W/NSN	12 VDC POWER CABLE	01	EA	703-0754-03	\$123.98	\$123.98	IMPACT INST	Indef	N	2
6545015190169	INCL.W/NSN	CASE, PADDED	01	EA	402-0014-00	\$150.00	\$150.00	IMPACT INST	Indef	N	2
6515015097331	INCL.W/NSN	STRAP, VELCO 24 IN. LONG MANUAL-	02	EA	334-0020-00	\$20.00	\$40.00	IMPACT INST	Indef	N	2
7610015189213	INCL.W/NSN	OPERATION/ SERVICE	02	EA	906-0754-02	\$50.00	\$50.00	IMPACT INST	Indef	N	2
7610015220841	OPTIONAL	INSTRUCTIONAL VIDEO INSTRUCTIONAL	01	EA	903-0754-02	\$15.00	\$15.00	IMPACT INST	Indef	N	2
	INCL.W/NSN		01	EA	909-0754-04	N/C	N/C	IMPACT INST	Indef	N	2
6515015045417	In The UA	FILTERED BACT/VIRAL	2	25/ PG	003005	\$66.82	\$133.64	IMPACT INST	Indef	N	2

Heart/Puls e rate 3-5 Lead ECG Non

IMPACT 754M COMSUMABLES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	HCH, ADULT FILTERED						IMPACT			
6515015045417	BACT/VIRAL	2	25pg	003005	\$66.82	\$133.64	INST	Indef	N	2
6530015185060	OXYGEN RESERVOIR KIT			820-097-15	\$189.00	\$189.00	IMPACT INST	Indef	N	2
6515014661195	VENTILATOR CIRCUIT DISPOSABLE/SINGLE PATIENT USE	1	15/PG	820-0067-15	\$80.00	\$80.00	IMPACT INST	Indef	N	2